


CONCEPT Odsavače par s tlačítkovým ovládáním „soft touch“ CONCEPT Hoods with „soft touch“ button control

v. 1.2



Obr. 1



Obr. 2



Obr. 3




Obr. 4



Obr. 5



Obr. 6



CZ

Obr. č.	Název	OPK4390	OPK4360	OPK4290	OPO5342
1	Filtr tukový kovový	61990046	61990046	61990007	61990007
2	Filtr uhlíkový	61990047	61990047	61990004	61990004
3	Filtr uhlíkový univerzální	61990020	61990020	61990020	61990020
4	Motor 160W	61990010	61990010	61990010	
5	Motor 200W				61990011
6	Deska elektroniky ovládání	61990017	61990017	61990017	61990017
7	Pachové čidlo				61990019
8	Světlo LED 1W kulaté				61990042
9	Měníč napětí pro LED osvětlení				61990043
10	Světlo halogenové 20W	61990044	61990044	61990044	
11	Měníč napětí pro halogenové osvětlení	61990045	61990045	61990045	
12	Zpětná klapka, prům. 150 mm	61990012	61990012	61990012	61990012
13	Redukce prům.150/120mm s klapkou	61990013	61990013	61990013	61990013

EN

Obr. č.	Název	OPK4390	OPK4360	OPK4290	OPO5342
1	Permanent fat filter	61990001	61990001	61990007	61990007
2	Carbon Filter	61990002	61990002	61990004	61990004
3	Universal carbon filter	61990020	61990020	61990020	61990020
4	Motor 160W	61990010	61990010	61990010	
5	Motor 200W				61990011
6	Control PCB	61990017	61990017	61990017	61990017
7	Smell sensor				61990019
8	LED lamp 1W round				61990042
9	LED lamp voltage changer				61990043
10	Halogen lamp 20W	61990044	61990044	61990044	
11	Halogen lamp voltage changer	61990045	61990045	61990045	
12	Backflow flap, diam.150 mm	61990012	61990012	61990012	61990012
13	Diameter reduction flap 150/120mm	61990013	61990013	61990013	61990013