

concept


smartly designed for your life

Catalogue

small appliances — 2026 / 2027

**smartly
designed**

AI
TECHNOLOGY



Contents

01	Vacuum cleaners	2
	Robot vacuum cleaners	2
	Stick vacuum cleaners	6
	Bagless vacuum cleaners	12
	Bagged vacuum cleaners	13
	Handheld vacuum cleaners	14
02	Milk frothers and coffee grinders	16
03	Electric kettles	17
	Stainless	17
	Glass	20
	Ceramic	22
	Plastic	23
	Travel	23
04	Juicers	24
05	Preparation of food and drink	28
06	Hot-air fryers	34
07	Cooking	38
08	Food storage	44
09	Food dryers	46
10	Hair care	50
11	Body care	54
12	Dental care	60
13	Baby care	62
14	Air treatment	66
15	Heating and cooling	72
16	Ironing	77
17	Audio	78
18	Optional accessories	82

01

TOP
product

The robot itself:

It will vacuum

Wipe

It empties out the dirt

It drains away dirty water

It will top up with clean water

It washes the mop cloth

It dries the mop cloth

Add cleaning product





Applications
Concept Home



concept
AQUA
ULTIMATE

SUCTION POWER:
15,000 Pa

AQUA ULTIMATE



VR4130


**Robotic vacuum cleaner and floor mop 3 in 1
Aqua ULTIMATE Laser 3D**

- Triple Laser Beam 3D — detection of small obstacles
- Magnetic top cover
- BLDC motor
- Suction power: 15,000 Pa
- Battery: Li-ion 5100 mAh — up to 320 mins (100 mins of mopping and vacuuming combined)
- CARPET Turbo
- Automatic carpet detection whilst mopping
- A rotating brush that trims hair
- The Concept Home app in Czech
- The robot speaks CZECH (+ SK, EN, PL, HU)
- Compatibility: iOS 9.0 and later, Android 5.0 and later
- Firmware version: 1.1.11
- Control via: Amazon Alexa/Google Home
- ROOMPLAN 3.0
- Water/dust tank: 180/150 ml
- Three-stage filtration with a HEPA 13 filter
- Charging time: 6 hours

Multifunctional station

- Cleaning fabric with water
- Drying fabric with hot air
- Automatic suction of dirt into the dust bag
- Automatic dispenser for cleaning products
- Automatic drainage of dirty water
- Automatic fresh water refill
- The station's self-cleaning function
- Clean/dirty water tank: 3.5/3.5 l

smartly
designed



AN INNOVATIVE MOPPING SYSTEM



Robot vacuum cleaner and floor cleaner the 3-in-1 Aqua ULTIMATE Laser 3D Concept VR4130 takes cleaning to a whole new level thanks to its advanced mopping system, which **combines the functions of a robot vacuum cleaner and a floor cleaner.**

A wide mopping strip with an active surface area of up to 200 cm² ensures a thorough clean, remaining in constant contact with the floor. **A major advantage is the real-time wringing system — the mop cloth is continuously cleaned, so you're always mopping with a clean surface.**

Clean and dirty water are collected in separate containers, ensuring hygienic operation. **A pressure of 20 N (approximately 2 kg) is applied to the mop head**, which significantly increases cleaning efficiency. The pack contains two different mop pads — one for hard floors and the other for a combination of hard surfaces and carpets.



MULTIFUNCTIONAL DOCKING STATION

The docking station for the Concept VR4130 robot vacuum cleaner is designed to ensure the most convenient and hygienic operation possible. **It automatically transfers the vacuumed debris into the dust bag, rinses the mop pad with clean water and dries it with hot air. At the same time, it automatically dispenses cleaning solution, refills with clean water and drains away the dirty water — both tanks have a capacity of 3.5 litres.**

Thanks to the self-cleaning function, the docking station stays clean without the need for manual intervention. The whole system saves time, makes maintenance easier and ensures that the robot is always ready to clean.

OPTIMUS



VR4050

**Robotic vacuum cleaner with mop 2 in 1
OPTIMUS Aqua Pro Laser 3D**

- Triple Laser Beam 3D Scan — detection of small obstacles
- Height of the vacuum cleaner: just 8.6 cm
- Force acting on the fabric: 10 N (1 kg)
- Magnetic top cover
- BLDC motor
- Suction power: 5,000 Pa
- 5,200 mAh Li-Ion battery — up to 270 mins.
- CARPET turbo
- Automatic carpet detection whilst mopping
- Lifting the fabric on the carpets by 1.3 cm
- The Concept Home app in Czech
- The robot speaks CZECH (+ SK, EN, PL, HU)
- Compatibility: iOS 9.0 and later, Android 5.0 and later
- Firmware version: 1.1.11
- Control via: Amazon Alexa/Google Home
- ROOMPLAN 3.0
- Tank capacity: 300 ml/80 ml
- Three-stage filtration with a HEPA 13 filter
- Charging time: 6 hours

Multifunctional station:

- Automatic dispensing of clean water
- Automatic drainage of dirty water
- Washing textiles after cleaning
- Drying textiles with hot air
- Dust bag, 1.8 litres
- Clean/dirty water tank: 2/2 litres (+ 0.5 litres flexible silicone section)



VR3450



**Robotic vacuum cleaner with mop 2 in 1
PERFECT CLEAN Laser 3D**

- Triple Laser Beam 3D Scan — detection of small obstacles (from a height of 2 cm)
- Powder base with automatic powder dispensing
- BLDC motor
- Suction power: 4,000 Pa (4 settings)
- 5,200 mAh Li-Ion battery — up to 300 mins.
- TOF sensors
- CARPET turbo
- Remote control
- Y-wash (an electronically controlled mopping method designed to achieve the most effective results)
- Automatic carpet detection whilst mopping
- The Concept Home app in Czech
- The robot speaks CZECH (+ SK, EN, PL, HU)
- Compatibility: iOS 9.0 and later, Android 5.0 and later
- Firmware version: 1.1.11
- Control via: Amazon Alexa/Google Home
- ROOMPLAN 3.0 — automatic room allocation
- Tank capacity: 300 ml/250 ml
- Three-stage filtration with a HEPA 13 filter
- Charging time: 5 hours
- Noise level: ≤ 75 dB



VR3520n



**Robotic vacuum cleaner with mop 3 in 1
Laser UVC REAL FORCE**

- LaserTec 2.0 navigation technology
- Powder base with automatic powder dispensing
- 3-in-1: vacuums, mops and sanitises
- BLDC motor
- Suction power: 3,300 Pa (3 settings)
- 5,200 mAh Li-Ion battery — up to 250 mins.
- TOF sensor
- CARPET turbo
- UVC sterilisation
- Remote control
- The Concept Home app in Czech
- The robot speaks CZECH (+ SK, EN, DE, PL, RO, HU)
- Compatibility: iOS 11.0 and later, Android 7.0 and later
- Firmware version: 1.0.5
- Control via: Amazon Alexa/Google Home
- 3 cleaning modes (full, zone, spot)
- Tank capacity: 300 ml/200 ml
- Three-stage filtration with a HEPA 13 filter (also suitable for allergy sufferers — captures up to 99.9% of dust, pollen, bacteria and viruses)
- Charging time: 4–5 hours
- Noise level: 60–70 dB



VR3400



**Robotic vacuum cleaner with mop 2 in 1
Laser 3D REAL FORCE**

- Triple Laser Beam 3D Scan — detection of small obstacles (from a height of 2 cm)
- BLDC motor
- Suction power: 4,000 Pa (4 settings)
- 5,200 mAh Li-Ion battery — up to 300 mins.
- TOF sensors
- CARPET turbo
- Remote control
- Y-wash (an electronically controlled mopping method designed to achieve the most effective results)
- Automatic carpet detection whilst mopping
- The Concept Home app in Czech
- Language interfaces: CZ, SK, EN, DE, HU, PL
- Internet connection: Wi-Fi, mobile data
- The robot speaks CZECH (+ SK, EN, PL, HU)
- Compatibility: iOS 9.0 and later, Android 5.0 and later
- Firmware version: 1.1.11
- Control via: Amazon Alexa/Google Home
- ROOMPLAN 3.0 — automatic room allocation
- Tank capacity: 300 ml/250 ml
- Three-stage filtration with a HEPA 13 filter
- Charging time: 5 hours
- Noise level: ≤ 75 dB




VR3300



**Robotic vacuum cleaner with mop 2 in 1
ROBOCROSS Laser**

- Laser navigation
- BLDC motor
- Ultra SLIM: 7.6 cm
- Suction power: 3,000 Pa (4 settings)
- 2600 mAh Li-Ion battery — up to 120 mins.
- TOF sensor
- CARPET turbo
- Remote control
- The Concept Home app in Czech
- Language interfaces: CZ, SK, EN, DE, HU, PL
- Internet connection: Wi-Fi, mobile data
- The robot speaks CZECH (+ SK, EN, PL, HU)
- Compatibility: iOS 9.0 and later, Android 5.0 and later
- Firmware version: 1.1.11
- ROOMPLAN 3.0 — automatic room allocation, cleaning planning
- Cleaning of multi-storey homes
- Tank capacity: 210 ml/170 ml
- Three-stage filtration with a HEPA 13 filter
- Charging time: 3 hours
- Noise level: ≤ 68 dB



VR2020



**Robotic vacuum cleaner with mop 3 in 1
PERFECT CLEAN Gyro Defender UVC**

- 3-in-1: vacuums, mops and sanitises
- GyroTec 2.0 navigation technology
- BLDC motor
- Ultra SLIM: 8 cm
- Suction power 2,200 Pa (3 settings)
- 2,600 mAh Li-Ion battery — up to 120 mins.
- UVC lamp
- CARPET turbo
- Remote control
- The Concept Home app in Czech
- Language interfaces: CZ, SK, EN, DE, HU, PL
- Internet connection: Wi-Fi, mobile data
- Compatibility: iOS 11.0 and later, Android 5.0 and later
- Firmware version: 1.0.5
- Control via: Amazon Alexa/Google Home
- Tank capacity: 600 ml/100 ml
- 3 modes (TURBO, INTENSIVE, SILENT)
- Dust container with a compartment for an aroma tablet
- 4 cleaning modes (Auto SMART, Local TURBO, Perimeter, Manual)
- Three-stage filtration with a HEPA 13 filter
- Charging time: 3–4 hours.
- Noise level: 55–65 dB

5in1

1. Stick vacuum cleaner
2. Handheld vacuum cleaner
3. Discharge station
4. UVC lamp
5. Mop



THE MOST POWERFUL STICK VACUUM CLEANER WITH A DISCHARGE STATION

Suction power	Power consumption	Container/powder
28 kPa/145 aW	500 W	680 ml

Li-Ion battery	Battery life	Weight
2 500 mAh	45 mins.	2.67/9.58 kg





ULTIMATE



VP6300

Stick vacuum cleaner 5 in 1 ULTIMATE Complete Pro

- 5-in-1 : stick vacuum cleaner, handheld vacuum cleaner, mop, UVC steriliser, automatic dust-emptying function
- 3 operating modes: low, medium, high
- BLDC motor
- Li-ion battery: 2,500 mAh
- Voltage: 25.9 V
- Suction power: 28 kPa, 145 aW
- Vacuuming time: 45 mins (in MIN mode)
- Charging time: 4 hours
- Battery status indicator (as a percentage)
- Dust container capacity: 560 ml
- H13 HEPA filter
- Telescopic tube
- Slot for charging a spare battery
- Height of the vacuum cleaner with the telescopic tube retracted/extended: 950/1175 mm
- Height of the vacuum cleaner with the telescopic tube extended + flexible joint attached: 1,350 mm
- Power consumption: 500 W

Accessories

- A flexible, bendable extension at the top of the vacuum cleaner — up to twice the reach under low furniture compared to standard flexible tubes
- UVC turbo brush
- Mopping module
- Cleaning cloths
- Flexible nozzle
- 2× crevice nozzle
- 2× brushes (HardFloor + Carpet)
- 2× dust bags
- Power adaptor

ULTIMATE

VACUUM CLEANER STANDS ALONE

Telescopic pipe



VP6310

Stick vacuum cleaner 3 in 1 ULTIMATE Complete Light

- 3-in-1: stick vacuum cleaner, handheld vacuum cleaner, automatic dust-emptying function
- Turbo brush lock — the vacuum cleaner stands upright on its own
- 3 power settings: low, automatic, high
- BLDC motor
- Li-ion battery: 2,200 mAh
- Voltage: 25.9 V
- Suction power: 26 kPa, 92 aW
- Vacuuming time: 50 mins (in MIN mode)
- Charging time: 3.5 hours
- Dust container capacity: 560 ml
- Battery status indicator (as a percentage)
- Telescopic tube
- Noise level: < 82 dB
- Power consumption: 420 W
- Weight: 1.5 kg (7.5 kg with the base)

ULTIMATE

VACUUM CLEANER STANDS ALONE

Telescopic pipe



VP6260, VP6261



Stick vacuum cleaner 4 in 1 ULTIMATE Pro+

- 4-in-1 : stick vacuum cleaner, handheld vacuum cleaner, mop, UVC steriliser
- Turbo brush lock — the vacuum cleaner stands upright on its own
- 3 power settings: low, medium, high
- BLDC motor
- Li-ion battery: 2,200 mAh
- Voltage: 29.6 V
- Suction power: 27 kPa, 130 aW
- Vacuuming time: 50 mins (in MIN mode)
- Charging time: 3–4 hours
- Dust/water tank capacity: 470 ml/260 ml
- H13 HEPA filter
- Battery status indicator
- Mopping module with 2 rotating mops
- Noise level: < 85 dB
- Power consumption: 500 W
- Weight: 2.9 kg

ULTIMATE

VACUUM CLEANER STANDS ALONE

Telescopic pipe



VP6150, VP6151



Stick vacuum cleaner 3 in 1 ULTIMATE UV Power

- 3-in-1: stick and handheld vacuum cleaner, UVC steriliser
- Turbo brush lock — the vacuum cleaner stands upright on its own
- 3 operating modes: low, medium, high
- BLDC motor
- Li-ion battery: 2,200 mAh
- Voltage: 29.6 V
- Suction power: 27 kPa, 130 aW
- Vacuuming time: 50 mins (in Min mode)
- Charging time: 3–4 hours
- Dust container capacity: 470 ml
- H13 HEPA filter
- Battery status indicator
- Flexible, bendable extension at the top of the vacuum cleaner — up to twice the reach
- Noise level: < 85 dB
- Power consumption: 500 W
- Weight: 2.9 kg



VP6125 **N**

**Stick vacuum cleaner 2 in 1
ICONIC Comfort Telescope**

- 2-in-1: stick vacuum cleaner, handheld vacuum cleaner
- Turbo brush lock — the vacuum cleaner stands upright on its own
- 3 power settings: low, medium, high
- BLDC motor
- Li-ion battery: 2,000 mAh
- Voltage: 29.6 V
- Suction power: 30 kPa, 100 aW
- Running time: 65 mins (in MIN mode)
- Charging time: 2–3 hours
- Dust container capacity: 560 ml
- Foam filter
- Battery status indicator
- Noise level: < 75 dB
- Power consumption: 400 W
- Weight: 2.7 kg



VP6045

**Stick vacuum cleaner 2 in 1
ICONIC Suction Pro**

- 2-in-1: stick and handheld vacuum cleaner
- 3 operating modes: low, medium, high
- BLDC motor
- Li-ion battery: 2,500 mAh
- Voltage: 29.6 V
- Suction power: 28 kPa, 135 aW
- Running time: 45 mins (on low setting)
- Charging time: 4.5 hours
- Dust container capacity: 600 ml
- H13 HEPA filter
- Battery status indicator
- Noise level: < 85 dB
- Power consumption: 450 W
- Weight: 2.5 kg



VP6025 **V**

**Stick vacuum cleaner 3 in 1
ICONIC Smart Aqua**

- 3-in-1: stick vacuum cleaner, handheld vacuum cleaner + mop
- 3 power modes: Low, Auto, High
- BLDC motor
- Dust/water tank capacity: 600 ml/200 ml
- Li-ion battery: 2,500 mAh
- Suction power: 18 kPa, 70 aW
- Voltage: 21.6 V
- Vacuuming time: 30 mins (in Low mode)
- Charging time: 3–4 hours
- Dust sensor (automatic power boost)
- Filter contamination sensor
- Battery status indicator
- Mopping module
- Noise level: 80 dB
- Power consumption: 265 W
- Weight: 2.3 kg



VP4220

Stick vacuum cleaner 3 in 1 Aqualide

- 3-in-1: vacuum cleaner, handheld vacuum cleaner and mop
- Dust/water tank capacity: 550 ml/150 ml
- Motorised turbo brush
- 28.8 V Li-Ion battery, 2,200 mAh
- Vacuuming time: 77 mins.
- Charging time: 5–6 hours
- LED light
- H13 HEPA filter
- 3 operating modes: low, medium, high
- Folding handle
- Power consumption: 160 W
- Noise level: 80 dB
- Weight: 3.7 kg



VP4136

Stick vacuum cleaner 2 in 1

- 2-in-1: vacuum cleaner, handheld vacuum cleaner
- Dust container capacity: 600 ml
- Motorised turbo brush
- Voltage: 22.2 V
- Vacuuming time: 55 mins.
- Charging time: 4–5 hours
- Folding handle
- LED light
- Fabric filter
- Power consumption: 100 W
- Noise level: ≤80 dB
- Weight: 2.4 kg



VP4520



Handheld and stick vacuum cleaner 14.8 V Direct Air Dual

- 2-in-1: stick and handheld vacuum cleaner
- Dual turbo brush
- 360° swivel joint
- BLDC motor
- 14.8 V Li-ion battery, 2,200 mAh
- Suction force: 10–20 kPa
- Vacuuming time: 10–30 mins.
- Dust container capacity: 200 ml
- HEPA filter 13
- Charging time: 4–5 hours
- Power consumption: 180 W
- Noise level: <80 dB
- Weight: 1.77 kg (handheld unit 0.73 kg)



CP2000

Steam mop 2 in 1 PERFECT CLEAN

- Water tank capacity: 400 ml
- Detergent dispenser capacity: 150 ml
- Warm-up time: 30 s
- Operating time with steam: 20 mins.
- Heating indicator light
- Colour: white + turquoise
- Length of the power cable: 5 m
- 7-stage filtration
- Power consumption: 1,500 W



TP2010

Carpet Cleaner DEEPCLEAN

- Suitable for deep cleaning of fabric surfaces (carpets, upholstered furniture, car seats, car interiors, mattresses, etc.)
- Clean/dirty water tank: 1.8 l/0.8 l
- Noise level: 82 dB
- Suction force: ≥11.5 kPa
- Hose length: 1.65 m
- Power consumption: 450 W
- Cleaning product included in the pack




TP4010



Carpet cleaner TRIPLECLEAN

- Suitable for deep cleaning of fabric surfaces (carpets, upholstered furniture, car seats, car interiors, mattresses, etc.)
- Cold and hot water, steam, sterilisation
- Self-cleaning function
- Clean/dirty water tank: 1.6 l/1 l
- Noise level: 82 dB
- Suction force: ≥ 13 kPa
- Hose length: 1.7 m
- Power consumption: 1,650 W
- Cleaning product included in the pack



LARGE TURBO BRUSH

The main advantage is that it vacuums and brushes at the same time, making it ideal for all types of carpets. It's excellent at dealing with fallen hair or pet hair.



PARQUET NOZZLE

The parquet nozzle is designed for cleaning all types of hard floors, which you have at home. It is specially designed for gentle cleaning, so as not to scratch or otherwise damage your floor.



A BRUSH FOR ANIMAL HAIR

The pet hair brush is a smaller version of the turbo brush. It's perfect for removing hair from on the seats, inside the car and in places you can't reach with a large turbo brush.



FLOOR NOZZLE

It's perfect for vacuuming all your carpets, rugs, runners and upholstered furniture. Once you've flipped the flap and extended the bristles, the vacuum cleaner will gently clean all your hard floors.



PET BRUSH

In a single stroke, you can brush out and vacuum up all excess hair without making a mess. You'll rid your pet of dirt, pollutants and allergens.



VP5240n

**4A Bagless vacuum cleaner
RADICAL Pet Expert 800 W**

- Extra quiet: 72 dB
- Dust container capacity: 2.5 litres
- Power control
- Soft rear wheels
- Front wheel rotates 360°
- HEPA filter 13
- Cable length: 6 m
- Operating range: 10 m
- Colour: bronze

Accessories

- AAAA nozzle
- Large turbo brush
- A small turbo brush for pet hair
- Pet hair brush
- Crevice nozzle
- Nozzle with a brush
- Upholstery nozzle
- Accessory holder



VP5241n

**4A Bagless vacuum cleaner
RADICAL Home&Car 800 W**

- Extra quiet: 72 dB
- Dust container capacity: 2.5 l
- Power control
- Soft rear wheels
- Front wheel rotates 360°
- HEPA filter 13
- Cable length: 6 m
- Operating range: 10 m
- Colour: blue

Accessories

- AAAA nozzle
- A small turbo brush for pet hair
- EXTRA-long slotted nozzle CAR
- Parquet nozzle
- Crevice nozzle
- Nozzle with a brush
- Upholstery nozzle
- Accessory holder



VP8296



**Bagged vacuum cleaner
RemoteFlow 850 W**

- Bag capacity: 5 litres
- Touchscreen
- Vacuum cleaner controls on the handle
- Blowing function
- Power control
- 4 swivel castors that rotate 360°
- HEPA filter 13
- Cable length: 7 m
- Operating range: 8.5 m
- Colour: blue
- Noise level: <75 dBa

Accessories

- Large turbo brush
- Small turbo brush
- Crevice nozzle
- Nozzle with brush
- Parquet nozzle



VP8290

4A Bagged vacuum cleaner REAL FORCE 700 W

- Bag capacity: 3 litres
- Bag full indicator light
- Metal telescopic tubes
- HEPA filter 13
- Cable length: 7 m
- Operating range: 10 m
- Noise level: 67 dB
- Colour: black

Accessories

- AAAA nozzle
- Large turbo brush
- A small turbo brush for pet hair
- EXTRA-long slotted nozzle CAR
- Parquet nozzle
- Crevice nozzle
- Nozzle with a brush



VP8291

4A Bagged vacuum cleaner PERFECT CLEAN 700 W

- Bag capacity: 3 litres
- Bag full indicator light
- Metal telescopic tubes
- HEPA filter 13
- Power control
- Cable length: 7 m
- Operating range: 10 m
- Operating range: 11 m
- Noise level: 67 dB
- Colour: white

Accessories

- AAAA nozzle
- Large turbo brush
- Small turbo brush
- Pet hair brush
- Crevice nozzle
- Nozzle with a brush



VP8090



Bagged vacuum cleaner Trooper 700 W

- Bag capacity: 3 litres
- Washable HEPA filter 13
- Electronic power control
- Cable length: 7 m
- Operating range: 10 m
- Length of telescopic tubes: 78 cm
- Noise level: 76 dB
- Paper bag included in the pack
- Colour: white and silver

Accessories

- ECO floor nozzle
- Parquet nozzle
- Crevice nozzle with dust brush



VP4430

**Handheld vacuum cleaner
Direct Animal**

- BLDC motor
- 14.8 V, 2,200 mAh battery
- Battery type: Li-ion
- Suction force: 10–20 kPa
- Vacuuming time: 10–30 mins.
- Dust container capacity: 200 ml
- H13 HEPA filter
- Battery status indicator
- Noise level: <80 dB
- Power consumption: 180 W
- Charging time: 4–5 hours



VP2000



**Handheld vacuum cleaner
UV Lumistar**

- The UV-C sterilisation lamp kills bacteria and dust mites
- BLDC motor
- 11.1 V, 2,000 mAh battery
- Battery type: Li-ion
- Suction force: 9–13 kPa
- Vacuuming time: 10–16 mins.
- Dust container capacity: 270 ml
- Battery status indicator
- Rotary brush
- Power consumption: 120 W
- Charging time: 4.5 hours



VP4353

**Handheld vacuum cleaner
Wet & Dry Riser Extension**

- 18.5 V, 2,200 mAh battery
- Battery type: Li-ion
- Suction force: 7.5 kPa
- Vacuuming time: 22 mins.
- Liquid extraction
- Dust container capacity: 500 ml
- Water tank capacity: 100 ml
- HEPA filter 13
- Noise level: 75 dB
- Cable length: 1.8 m
- Charging time: 4 hours



VP4380

**Handheld vacuum cleaner
Real Force**

- 18.5 V, 2,200 mAh battery
- Battery type: Li-Ion
- Suction power: 8.2 kPa
- Vacuuming time: up to 35 mins.
- Dust container capacity: 450 ml
- 2 power settings
- HEPA filter
- 3 LEDs
- Charging time: 4 hours



VP4370

**Handheld vacuum cleaner
Wet & Dry Perfect Clean**

- 14.8 V, 2,200 mAh battery
- Battery type: Li-Ion
- Suction force: 5.5 kPa
- Running time: up to 40 mins.
- Dust container capacity: 450 ml
- Water tank capacity: 150 ml
- 2 power settings
- HEPA filter
- 3 LEDs
- Charging time: 4 hours



VP4360

**Handheld vacuum cleaner
Wet & Dry**

- 11.1 V, 2,000 mAh battery
- Battery type: Li-Ion
- Suction force: 3.4 kPa
- Running time: up to 45 mins.
- Dust container capacity: 450 ml
- Water tank capacity: 150 ml
- 2 power settings
- HEPA filter
- 3 LEDs
- Charging time: 5 hours



VP4352

**Handheld vacuum cleaner
Wet & Dry Riser car**

- 14.8 V, 2,200 mAh battery
- Battery type: Li-Ion
- Suction force: 7 kPa
- Vacuuming time: up to 22 mins.
- Liquid extraction
- Dust container capacity: 500 ml
- Water tank capacity: 100 ml
- HEPA filter 12
- Noise level: 72 dB
- Cable length: 1.8 m
- Charging time: 4 hours



VP4351

**Handheld vacuum cleaner
Wet & Dry Riser for pets**

- 11.1 V, 2,200 mAh battery
- Battery type: Li-Ion
- Suction force: 6 kPa
- Vacuuming time: up to 20 mins.
- Liquid extraction
- Dust container capacity: 500 ml
- Water tank capacity: 100 ml
- Noise level: 70 dB
- Cable length: 1.8 m
- Charging time: 4 hours
- HEPA filter 12



VP4350

**Handheld vacuum cleaner
Wet & Dry Riser**

- 7.4 V, 2,200 mAh battery
- Battery type: Li-Ion
- Suction force: 5 kPa
- Vacuuming time: up to 20 mins.
- Liquid extraction
- Dust container capacity: 500 ml
- Water tank capacity: 100 ml
- HEPA filter 12
- Noise level: 68 dB
- Cable length: 1.8 m
- Charging time: 4 hours



□ NM4100 ■ NM4101

Milk frother, stainless steel, NORDIC

- Suitable for making lattes, cappuccinos, frappés, hot chocolate, etc.
- Non-stick coating — easy to clean
- 2 interchangeable beaters (whipping/mixing)
- Thermostat-controlled final temperature of 65 °C
- 3 operating modes: frothing milk with heating, frothing milk without heating, heating milk without frothing
- Top-quality connector (STRIX)
- Transparent lid
- Overheating protection
- Dimensions: 145 × 180 × 105 mm
- Power consumption: 500 W

□ KM6000 ■ KM6001

Coffee grinder

- Suitable for grinding coffee, spices, herbs, nuts, poppy seeds and other dry foods
- Grinder type: electric
- Container size: 50 g
- Speed: 22,000 rpm
- Transparent lid on top
- Grinding time: 6–30 seconds
- Knife material: stainless steel
- Body material: plastic
- Noise level: ≤ 85 dB
- Weight: 1.2 kg
- Dimensions: 97 × 197 × 97 mm
- Power consumption: 150 W

COOL TOUCH

The double-walled design ensures greater safety during use. The outer layer features a special 'Cool Touch' surface that does not heat up, meaning the kettle remains cool to the touch even whilst boiling water, thereby eliminating the risk of burns.

smartly
designed

REGULATION TEMPERATURES



□ RK3300 ■ RK3301 ■ RK3304 ■ RK3305

Electric kettle with temperature control 1.5 l
Salt&Pepper: white, black | NORWOOD: vanilla, dark grey

- Digital kettle with temperature control
- Double-walled design: cooking pot — stainless steel, outer casing — reinforced plastic
- KEEP WARM function to maintain the water temperature
- Cool Touch finish
- Maximum capacity 1.5 litres (makes up to 6 cups)
- Top-quality STRIX connector
- A clear water level indicator inside the cooking pot
- Concealed heating element
- 360° swivel centre connector
- A minimalist stand with space for storing the power cable
- Power consumption: 1,850—2,200 W
- Voltage and frequency: 220—240 V, 50/60 Hz

100 °C
95 °C
90 °C
85 °C
70 °C
60 °C
45 °C



100 °C

90 °C

80 °C

70 °C

60 °C

50 °C

40 °C

REGULATION TEMPERATURES + KEEP WARM

The temperature control allows you to set the ideal water temperature for various drinks, whilst the KeepWarm function keeps it warm for longer without the need to reheat it.



RK3170

Electric kettle with temperature control 1.5 l

- Temperatures: 70/80/90/100 °C
- Double-walled design: polished stainless steel and Cool Touch finish
- Thermoregulation
- Base unit with backlit buttons
- Top-quality STRIX connector
- KEEP WARM function to maintain the water temperature
- Triple security system
- Power consumption: 1,850–2,200 W
- Voltage: 220–240 V



RK3171

Electric kettle with temperature control 1.5 l

- Temperatures: 70/80/90/100 °C
- Double-walled design: polished stainless steel and Cool Touch finish
- Thermoregulation
- Base with backlit buttons
- Top-quality STRIX connector
- KEEP WARM function to maintain the water temperature
- Triple safety system
- Power consumption: 1,850–2,200 W
- Voltage: 220–240 V



RK3315

**Electric kettle
ELWOOD 1.7 l**

- Top-quality STRIX connector
- Large filling opening
- Triple safety checks
- Removable limescale filter
- Fully rotatable base
- Material: stainless steel, with a wood-effect base and handle
- Power consumption: 1,850–2,200 W
- Voltage and frequency: 220–240 V, 50/60 Hz

**Designed to match
the Concept TE2015 toaster**



RK3316

**Electric kettle
ELWOOD 1.7 l**

- Top-quality STRIX connector
- Large filling opening
- Triple safety checks
- Removable limescale filter
- Fully rotatable base
- Material: stainless steel, with a wood-effect base and handle
- Power consumption: 1,850–2,200 W
- Voltage and frequency: 220–240 V, 50/60 Hz

**Designed to match
the Concept TE2016 toaster**



RK3240

**Stainless steel electric kettle
1.7 l**

- Top-quality STRIX connector
- Material: high-grade stainless steel
- Removable limescale filter
- Fully rotatable base
- A base with space for storing the power cable
- Triple safety checks
- Protection against switching on without water
- Power consumption: 2,200 W



RK3242

**Stainless steel electric kettle,
cream 1.7 l**

- Top-quality STRIX connector
- Material: high-grade stainless steel
- Removable limescale filter
- Fully rotatable base
- A base with space for storing the power cable
- Triple safety check
- Protection against operation without water
- Power consumption: 2,200 W



RK3385

Stainless steel electric kettle with temperature control, 1.7 l

- Temperatures: 45/55/75/85/90/100 °C
- Digital control
- KEEP WARM function
- Cool Touch finish
- Top-quality STRIX connector
- Triple safety checks
- LED display
- Material: stainless steel/plastic
- Power consumption: 1,850–2,200 W
- Voltage and frequency: 220–240 V, 50/60 Hz



RK3360

Electric kettle with temperature control 1.5 l

- Temperatures: 40/50/60/70/80/90/100 °C
- KEEP WARM function
- Cool Touch finish
- Top-quality STRIX connector
- Triple safety checks
- Display
- Power consumption: 1,850–2,200 W
- Voltage and frequency: 220–240 V, 50/60 Hz



RK3100

Stainless steel electric kettle with temperature control 1.7 l

- Temperatures: 40/60/80/90/100 °C
- Digital control
- KEEP WARM function
- Double-walled design
- Cool Touch finish
- LCD display (temperature gauge)
- 360° swivelling centre connector (OTTER)
- Material: stainless steel/durable plastic
- Power consumption: 1,850–2,200 W
- Voltage and frequency: 220–240 V, 50/60 Hz



RK3370



Electric kettle MODERN 1.7 l

- Top-quality STRIX connector
- Removable lid
- Triple safety check
- Material: stainless steel, premium matt finish, wood-effect handle
- Fully rotatable base
- Power consumption: 1,850–2,200 W
- Voltage and frequency: 220–240 V, 50/60 Hz



RK3245

Stainless steel electric kettle 1.7 l, black

- Top-quality STRIX connector
- Material: high-grade stainless steel
- Removable limescale filter
- Fully rotatable base
- A base with space for storing the power cable
- Triple safety checks
- Protection against operation without water
- Power consumption: 2,200 W



RK3250

Stainless steel electric kettle 1.2 l

- Top-quality STRIX connector
- Material: high-grade stainless steel
- A clear watermark
- Removable limescale filter
- Fully rotatable base
- Triple safety checks
- Power consumption: 2,200 W



RK3260

Stainless steel electric kettle 1.7 l

- Material: stainless steel
- Removable limescale filter
- Concealed heating element
- Fully rotatable base
- Dual safety mechanism
- Power consumption: 1,850–2,200 W



RK3130

Stainless steel electric kettle 1.2 l

- Power indicator light on the front of the kettle
- A high-quality connector
- Removable limescale filter
- Dual safety mechanism
- Watermark
- Power consumption: 1,370–1,630 W

COLOURED BACKLIGHTING

Glass electric kettles with temperature control feature LED backlighting, which, on selected models, changes colour depending on the current water temperature, giving their design a modern and attractive look.





RK4195

Glass electric kettle with temperature control 1.7 l

- Modern smoked glass design
- Temperatures: 40, 50, 60, 70, 80, 90, 100 °C
- Digital control
- Coloured LED backlighting
- Top-quality STRIX connector
- Triple safety check
- Material: heat-resistant glass + stainless steel
- Power consumption: 1,850–2,200 W



RK4190

Glass electric kettle with temperature control 1.7 l

- Temperatures: 40, 50, 60, 70, 80, 90 and 100 °C
- Digital control
- Coloured LED backlighting
- 2 lids per pack: classic + with a tea strainer
- 360° swivel connector (STRIX)
- Dual safety mechanism
- Material: heat-resistant glass + stainless steel
- Power consumption: 1,850–2,200 W



RK4120

Glass electric kettle with temperature control 1.7 l

- Temperatures: 50, 70, 80, 90 and 100 °C
- Keep Warm function
- Coloured LED backlighting
- Top-quality STRIX connector
- Removable limescale filter
- Dual safety mechanism
- Material: borosilicate glass + stainless steel



RK4100

Glass electric kettle with temperature control 1.7 l

- Digital control
- 4 preset programmes
- KEEP WARM function to maintain the temperature
- Double-walled design
- Cool Touch finish
- Sediment filter
- Triple safety checks
- Material: glass, plastic, stainless steel
- Power consumption: 1,850–2,200 W



RK4067

Glass electric kettle with temperature control 1.7 l

- Temperatures: 50, 70, 80, 90 and 100 °C
- Digital control
- KEEP WARM function
- Coloured LED backlighting
- Top-quality STRIX connector
- 360° swivel centre connector
- Material: heat-resistant glass + stainless steel
- Power consumption: 1,850–2,200 W



RK4210

Glass electric kettle 1.7 l

- The design of ribbed glass
- Top-quality STRIX connector
- LED backlighting
- Scale filter
- Triple safety checks
- Material: heat-resistant glass + stainless steel
- Power consumption: 1,850–2,200 W



RK4095

Glass electric kettle 1.7 l

- Modern smoked glass design
- LED backlighting
- Top-quality STRIX connector
- Scale filter
- Triple safety checks
- Material: heat-resistant glass + stainless steel
- Power consumption: 1,850–2,200 W



RK4900

Glass electric kettle 1.2 l

- An elegant, modern design
- Spiral-free glass container
- A high-quality connector
- Convenient lid opening thanks to the ergonomic handle
- Dual safety mechanism
- Watermark
- Power consumption: 1,370–1,630 W



RK0090

Ceramic electric kettle 1.5 l

- Top-quality STRIX connector
- Lid with seal
- Triple safety check
- Material: ceramic
- Dimensions: 240 × 230 × 150 mm
- Weight: 1.65 kg
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 1,500 W



RK0092



Ceramic electric kettle 1.5 l

- Top-quality STRIX connector
- Lid with seal
- Triple safety checks
- Material: ceramic
- Dimensions: 240 × 230 × 150 mm
- Weight: 1.65 kg
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 1,500 W



RK0060

Ceramic electric kettle 1 l

- Top-quality STRIX connector
- Lid with a safety catch to prevent it from falling out
- Double safety catch
- Material: ceramic
- Dimensions: 210 × 200 × 160 mm
- Weight: 1.37 kg
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 1,000–1,200 W



RK0062

Ceramic electric kettle 1 l

- Top-quality STRIX connector
- Lid with a safety catch to prevent it from falling out
- Double safety catch
- Material: ceramics
- Dimensions: 210 × 200 × 160 mm
- Weight: 1.37 kg
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 1,000–1,200 W



RK0040

Ceramic electric kettle 1.5 l with two cups and saucers

- The set includes a teapot and 2 cups with saucers in the same design
- An interesting 3D relief design
- Top-quality STRIX connector
- Dual safety mechanism
- Voltage: 220–240 V
- Power consumption: 1,200–1,500 W



RK0020

Ceramic electric kettle 1.5 l

- Top-quality STRIX connector
- Dual safety lock
- Material: high-quality, durable and food-safe ceramic
- Weight: 1.92 kg
- Voltage: 220–240 V
- Power consumption: 1,150–1,350 W



RK0010ne

Ceramic electric kettle 1 l

- Top-quality STRIX connector
- Dual safety mechanism
- Material: high-quality, durable and food-safe ceramic
- Weight: 1.92 kg
- Voltage: 220–240 V
- Power consumption: 950–1,100 W



RK0050

Ceramic electric kettle 1.2 l Golf

- An interesting 3D design for a golf ball
- Top-quality STRIX connector
- Dual safety mechanism
- Material: ceramic
- Voltage: 220–240 V
- Power consumption: 1,000 W



RK2390

Electric kettle plastic 1.7 l

- Top-quality STRIX connector
- Scale filter
- Triple safety checks
- Material: plastic
- Dimensions: 238 × 218 × 154 mm
- Weight: 880 g
- Voltage and frequency: 220–240 V, 50/60 Hz
- Power consumption: 1,850–2,200 W



RK2391

Electric kettle plastic 1.7 l

- Top-quality STRIX connector
- Scale filter
- Triple safety checks
- Material: plastic
- Dimensions: 238 × 218 × 154 mm
- Weight: 880 g
- Voltage and frequency: 220–240 V, 50/60 Hz
- Power consumption: 1,850–2,200 W



RK2375

Electric kettle plastic 1.7 l

- Top-quality STRIX connector
- Scale filter
- Triple safety check
- Voltage and frequency: 220–240 V, 50/60 Hz
- Power consumption: 1,850–2,200 W

**Designed to match
the Concept TE2075 toaster**



RK2380

Electric kettle plastic 1.7 l

- Top-quality STRIX connector
- Removable limescale filter
- Triple safety checks
- Voltage and frequency: 220–240 V, 50/60 Hz
- Power consumption: 1,850–2,200 W



RK2381

Electric kettle plastic 1.7 l

- Top-quality STRIX connector
- Removable limescale filter
- Triple safety checks
- Voltage and frequency: 220–240 V, 50/60 Hz
- Power consumption: 1,850–2,200 W



RK7050

**Stainless steel travel kettle
with temperature control 0.6 l**

- Foldable, compact size
- COOL TOUCH surface
- A protective pouch and travel case are included in the pack
- 8 programmes
- KEEP WARM function
- Top-quality STRIX connector
- Triple safety checks
- Double-walled design
- Material: stainless steel/plastic
- Voltage: 220–240 V
- Power consumption: 570–690 W



RK7030

**Travel kettle 0.5 l
with two cups**

- Double safety catch
- Concealed heating element
- Automatic shut-off
- Scale filter
- Material: plastic
- Dimensions: 187 × 181 × 107 mm
- Weight: 570 g
- Power consumption: 900–1,080 W

04

TOP
product

AI
TECHNOLOGY

AI MODE

Special filter without a mesh

Dual juicing system

8 preset programmes

Slow pressing

Quiet operation

BLDC motor

Large filling opening

Anti-drip cap






smartly
designed



LARGE FILLING OPENING AND EASY TO CLEAN

The extra-wide 150 mm feed chute can accommodate whole pieces of fruit and vegetables without the need to chop them, making the whole juicing process easier and quicker.

A special filter without a mesh and a fully dismantlable design ensure cleaning is a breeze — simply rinse under running water and the juicer is ready for the next batch of healthy treats.



AI TECHNOLOGY FOR MAXIMUM YIELD

Advanced AI technology automatically recognises how hard the fruit or vegetables you are processing are, and **automatically adjusts both the speed and the pressure**. By intelligently analysing the motor's performance, it selects the ideal settings for every ingredient — from soft berries to hard apples or carrots — resulting in up to **15% more juice, a richer flavour, more nutrients** and smooth operation without unnecessary effort.

LO7300 **N**

Auger juicer
Ai ONE Touch

- Speed: max. 60 rpm
- Large filling opening: 150 mm
- AI Technology
- 9 programmes: apples, pineapple, oranges, small fruits, cucumber, carrots, milk and sorbet + AI mode
- Dual juicing system: spiral auger + SUS 304 stainless steel blade
- Without a strainer
- Quiet BLDC motor
- Easy to clean thanks to the fact that it can be fully dismantled and the specially designed brush
- AntiDrip anti-drip system
- Juice/pulp container: 1/1.2 l
- Security system
- Tamping machine
- Non-slip feet
- Voltage: 220–240 V
- Power consumption: 150 W



DUAL JUICING SYSTEM WITH A STAINLESS STEEL BLADE

The twin-auger juicer's dual juicing system **combines a stainless steel blade made from high-quality SUS 304 steel with a spiral with a screw**, which allows it to extract the maximum amount of juice from fruit and vegetables. The result is a very high **juice yield of up to 99 per cent**, so you can process every ingredient down to the very last drop.

ANTI-DRIP FUNCTION

The cleverly designed ANTI DRIP system allows you to change the juice container without making a mess of your worktop or having to stop juicing. Simply close the lid, swap the glass, and open the lid again. It's that simple!

■ LO7065 □ LO7066 ■ LO7067

Fruit and vegetable juicer SINFONIA, WHITE, BLACK

- Speed: max. 60 rpm
- Large filling opening: 75 mm
- BPA-free containers
- Very easy to use
- Easy to clean thanks to the fact that it can be fully dismantled and the specially designed brush
- Anti-Drip anti-drip cap
- Juice container capacity: 1 l
- Capacity of the collection container: 1 l
- Security system
- Tamping machine
- Non-slip feet
- Voltage: 220–240 V
- Power consumption: 240 W





LO7250

Auger juicer horizontal

- Speed: 70 rpm
- Shaft type: horizontal
- Low-speed juicing system
- Preserving important nutritional values
- Quiet operation: 65 dB
- Number of speeds: 1 + reverse
- Anti-Drip anti-drip cap
- Large filling opening: 76 mm
- Juice/waste container: 600/700 ml
- Dimensions: 419 × 416 × 201 mm
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 200 W

XXL 130 mm



LO7120

Auger juicer JUICY

- Speed: 40–65 rpm
- Preserving important nutritional values
- Quiet operation: 72 dB
- Number of speeds: 1 + reverse
- Anti-Drip anti-drip cap
- Large filling opening: 130 mm
- Juice/waste container: 1,000/800 ml
- Dimensions: 431 × 208 × 207 mm
- Voltage: 220–240 V 50/60 Hz
- Power consumption: 250 W



LO3000

Auger juicer EASY CLEAN

- Speed: 60–115 rpm
- Preserving important nutritional values
- Quiet operation: <65 dB
- Number of speeds: 2 (hard/soft foods)
- REV (Reverse) button
- Antidrip anti-drip cap
- Filling hole size: Ø 44 mm
- Juice/pulp container: 550/700 ml
- Dimensions: 278 × 327 × 113 mm
- Voltage: 220–240 V
- Power consumption: 150 W



LO7026 LO7027

Fresh juicer

- Filling hole diameter: 72 mm
- BPA-free
- Stainless steel knife
- Anti-drip function
- Tamping machine
- The appliance can be completely dismantled, making it easy to clean
- Juice container: 1000 ml
- Pulp container: 1,800 ml
- Speed: max. 16,800 rpm
- Voltage: 220–240 V
- Power consumption: 1000 W



LO7095

Centrifugal juicer

- Filling hole size: 65 mm
- BPA-free
- Juice container: 800 ml
- Pulp container: 1,500 ml
- Easy to dismantle
- Noise level: 85 dB
- Material: stainless steel
- Dimensions: 310 × 260 × 170 mm
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 1,000 W



CE3520

Citrus juicer

- Lever mechanism
- Container capacity: 750 ml
- BPA-free
- 1 cone for all types of citrus fruit
- Easy to clean
- Anti-Drip anti-drip cap
- Noise level: 68 dB(A)
- Voltage: 220–240 V
- Power consumption: 160 W



■ SM3390 □ SM3391 ■ SM3393

Smoothie maker

- The set includes: a blender + a 1,200 ml chopper with a double blade + a spice and coffee grinder + 3 mixing bowls: with capacities of 570/570/400 ml
- Containers made from Tritan (BPA-free) with a non-slip silicone grip
- PULSE function
- Ideal for making iced coffee, smoothies and cocktails
- Removable blade assembly
- Noise level: 80 dB(A)
- Voltage: 220–240 V
- Power consumption: 700 W

■ SM3490 □ SM3491

Smoothie maker

- Suitable for making iced coffee, smoothies and cocktails, chopping meat and nuts, and grinding spices and coffee
- 1x container (Tritan): 1,000 ml
- 2x bottles (Tritan): 570 ml, 400 ml
- Length of the power cable: 100 cm
- Blender: 4 chopping blades (stainless steel)
- Spice/coffee grinder: 2 grinding blades (stainless steel)
- Noise level: ≤88 dB
- Voltage: 220–240 V
- Power consumption: 700 W



SM4050



Smoothie NutriMaker

- 18,500 rpm
- Container capacity: 720 ml
- BPA-free
- Charging: 11.1 V Li-Ion battery
- Battery capacity: 2,000 mAh
- Charging time: 3 hours
- Charging using a USB-C adaptor
- Lid with drinking spout, safety lock and handle
- Extra lid for carrying
- A strainer for trapping larger pieces or grains
- Dimensions (W×D×H): 80×105×290 mm
- Noise level: 76 dB
- Power consumption: 120 W



□ SM4000 ■ SM4001
■ SM4002 ■ SM4003

Smoothie FITMAKER

- 17,000 rpm
- Container capacity: 600 ml
- 6 chopping knives
- BPA-free
- Charging: 12.6 V Li-Ion battery
- Battery capacity: 6,000 mAh (3 × 2,000 mAh)
- Operating time: 40 cycles/20 sec.
- Charging time: 4 hours
- Magnetic charger
- IPX7 waterproof rating
- Dimensions: 92 × 88 × 280 mm
- Noise level: 80 dB
- Power consumption: 315 W



□ SM3380 ■ SM3385
■ SM3387

Smoothie maker Active

- The set includes a blender and 3 plastic blending jugs
- Containers made from Tritan (BPA-free) with a non-slip silicone grip
- 23,000 rpm
- Making iced coffee, smoothies and cocktails
- Length of the power cable: 1 m
- Noise level: 80 dB(A)
- Voltage: 220–240 V
- Power consumption: 500 W



■ SM3480 ■ SM3483

Smoothie maker

- The set includes a blender and 2 blending jugs (570 ml and 400 ml)
- Containers made from Tritan (BPA-free) with a non-slip silicone grip
- Speed: 23,000 rpm
- Making iced coffee, smoothies and cocktails
- Length of the power cable: 1 m
- Noise level: 80 dB(A)
- Voltage: 220–240 V
- Power consumption: 500 W



SM3365

Smoothie maker

- The set includes a blender and 3 blending jugs (2 × 600 ml and 1 × 400 ml)
- Containers made from Tritan — BPA-free
- Making iced coffee, smoothies and cocktails
- Safety catch
- Removable blade assembly
- Noise level: 80 dB(A)
- Voltage: 220–240 V
- Power consumption: 300 W



VL1520



Ice maker

- Water tank capacity: 2,000 ml
- Ice container capacity: 600 g
- Production capacity: 15 kg/day
- 9 cubes per cycle
- Duration of one cycle: 6–8 minutes.
- Automatic cleaning function
- UV lamp for hygienically clean ice
- Concept Home mobile app
- Choice of two ice cube sizes (small/large)
- Water refill indicator
- Ice tray full indicator
- Ice scoop included in the pack
- Voltage: 220–240 V
- Power consumption: 150 W
- Dimensions (H × W × D):
363 × 280 × 400 mm



VE3060

Electric two-ring hob

- 5 temperature settings
- Controls: 2× rotary knobs
- Thermostat
- Overheating protection
- Heating indicator light
- Hob material: glass-ceramic
- Colour: matt black
- Diameter of the plates: 192 mm
- Dimensions: 465 × 252 × 750 mm
- Power consumption: 2,100–2,500 W



VE3065



Electric single-hotplate hob

- 5 temperature settings
- Controls: 1× rotary knob
- Thermostat
- Overheating protection
- Heating indicator light
- Hob material: glass-ceramic
- Colour: matt black
- Diameter of the plates: 192 mm
- Dimensions: 240 × 252 × 730 mm
- Power consumption: 1,050–1,250 W



VE3015



Electric single-hotplate enamel cooker

- Cast iron disc, 185 mm in diameter
- Smooth 5-step power control
- Thermostat
- Operating indicator light
- Length of the power cable: 850 mm
- Colour: white enamel
- Dimensions: 270 × 280 × 75 mm
- Voltage: 220–240 V
- Power consumption: 1,250–1,500 W



PASTA MAKER

RM8000, RM8010

Food processor ELEMENT

- Planetary mixing system
- Manual control
- Smart Stop Position — stops at the optimal position for removing the whisk or dough hook
- High-quality construction: metal body, metal internal gears, all-metal beaters
- 5 speeds + PULSE
- Safety catch
- Mini cookbook in a pack
- Voltage: 220–240 V ~ 50 Hz
- Power consumption: 1,200 W



RM8000 Accessories

- 5-litre stainless steel container with handle + plastic lid
- All-metal whisks: flexible whisk, whisk, dough hook
- 1.5-litre glass mixing jug
- Meat mincer (3 interchangeable discs with different mincing coarsenesses) + accessories for stuffing sausages + accessories for making biscuits
- 3 pasta maker attachments for making pasta (lasagne, trenette, tagliatelle)
- Grater with 5 interchangeable attachments



RM8010 Accessories

- 5-litre stainless steel container with handle + plastic lid
- All-metal whisks: flexible whisk, whisk, dough hook

AVAILABLE TO PURCHASE SEPARATELY ACCESSORIES

All accessories can be purchased separately (see 'Optional accessories', pp. 82–83)

This accessory is compatible with the RM8000, RM8010, RM7510, RM7500, RM7000 and RM7010



**YEAST
DOUGH**

RM6000, RM6010

Kitchen stand mixer

- Planetary mixing system
- Double kneading hook
- Heating function — heats the bowl to 42°C — for perfect yeast dough
- Manual control
- High-quality construction: all-metal internal gears
- 6 speeds
- Safety catch
- Voltage: 220–240 V ~ 50 Hz
- Power consumption: 1,900 W



RM6000 Accessories

- 7-litre stainless steel container with handle + plastic lid
- All-metal whisk, double dough hook, mixing whisk
- 1.5-litre glass blending jug
- Meat mincer (3 interchangeable discs with different grinding sizes) + accessories for making homemade sausages, frankfurters and meatballs + accessories for making Christmas biscuits
- 6 pasta maker attachments for making pasta (bucatini, spaghetti, penne, pappardelle, fettuccine and ziti)
- A grater with 3 interchangeable attachments



Double kneading hook

Preheating the container



RM6010 Accessories

- All-metal whisk, double dough hook, mixing whisk

RM9000

I N S P I R O

Multifunctional food processor INSPIRO 1300 W

- Stainless steel bowl: 3.5 l
- 15 functions
- A clear display with touch controls
- Multifunctional uses: steamer, chopper, food processor, kitchen machine, blender, rice cooker, scales
- 8 pre-set programmes: kneading, steaming, slow cooking, cooking, food processor, chopping, turbo, scales (5 kg capacity)
- Number of saved recipes: 252
- Updating new recipes via Wi-Fi
- Language version: Czech/English
- Safety thermal cut-out — automatically switches off the heating element in the event of overheating
- Safety catch in the lid — the appliance will not start unless it is correctly assembled
- Voltage 220–240 V

Accessories

- Double mixing/whisking whisk
- 3.5-litre mixing bowl
- Plastic kneading hook
- Chopper knife
- Steam cooking: deep steamer basket, shallow steamer basket, steamer basket lid
- Grating disc with a double-sided attachment
- Tamping machine
- Steaming basket
- Measuring jug
- Kitchen spatula



**DATABASE
RECIPES**



RM3300



Food processor with grater

- High-quality workmanship
- Number of speeds: 4
- Digital control panel with speed selection
- 3 interchangeable grating discs: julienne, slices, potato pancakes
- Capacity of the glass container: 2 l
- Container material: glass
- Voltage: 220–240 V
- Maximum power: 1,000 W



RM3270

Chopper food chopper

- Suitable for chopping meat, fruit, vegetables, nuts, herbs and ice
- Stainless steel chopping knives
- Number of speeds: 2
- Capacity of the glass container: 1.2 l
- Container material: glass
- Metal gearbox
- Dimensions: 250 × 200 × 200 mm
- Voltage: 220 V
- Power consumption: 500 W



ES1000

Electric grater

- 5 interchangeable graters
- Disc with a grater for chips
- Noise level: 80 dB
- Length of the power cable: 1 m
- Easy to dismantle
- Non-slip feet
- Tamping machine
- Dimensions: 340 × 190 × 230 mm
- Power consumption: 200 W



SR3390

Hand blender 500 W

- 5 speeds
- Turbo button
- Ergonomic design
- Button for removing the beaters
- Safety catch
- Power consumption: 500 W
- Voltage: 220–240 V, 50/60 Hz
- Dimensions: 195 × 195 × 90 mm

TM5100 **N**

Hand blender 1 500 W

- EXTRA power consumption: 1,500 W
- Number of speeds: 2 (normal + turbo) with speed control
- Plastic case with a decorative stainless steel front panel
- Strong and durable sharp stainless steel blades with 4 knives
- Flexible coiled cable for ease of use
- Plastic scratch-resistant cover for the extension pole

Accessories

- Food processor (2,000 ml)
- Chopper (500 ml)
- Stick attachment with 4 blades
- Puree attachment
- Whisk
- Double whisk (also suitable for dough)
- Milk frother
- Whisking bowl with lid (800 ml)

CONTINUOUS SPEED ADJUSTMENT

Thanks to the smooth power control, you can easily adjust the blending intensity to suit any recipe.



TM5110 **N**

Hand blender 1 500 W

- For technical specifications, see TM5100

Accessories:

- Whisking bowl with lid (800 ml)
- Chopper (500 ml)
- Stick attachment with 4 blades
- Whisk
- Puree attachment
- Double whisk (also suitable for dough)



TM5120 **N**

Hand blender 1 500 W

- For technical specifications, see TM5100

Accessories:

- Whisking bowl with lid (800 ml)
- Chopper (500 ml)
- Stick attachment with 4 blades
- Whisk



TM5130 **N**

Hand blender 1 500 W

- For technical specifications, see TM5100

Accessories:

- Whisking bowl with lid (800 ml)



■ VK5710 □ VK5711
■ VK5714

Digital kitchen scales 15 kg SINFONIA, WHITE, BAMBOO

- Units of weight: g/kg/oz/lb
- Weighing increment: 1 g
- LCD screen
- Display dimensions: 50 × 21 mm
- Dimensions of the scales: 216 × 176 × 15 mm
- Two ways to use it: weighing directly on the surface or in a bowl
- Tare function — weighing
- Weighing surface size: 196 mm
- Power supply: 2 × 1.5 V AAA batteries — included

MULTIFUNCTIONAL BAKING TRAY

The multifunctional baking drawer comes with a baking tray measuring 30 cm in diameter. It's ideal for making homemade pizza, savoury and sweet tarts, and baked dishes. A major advantage is the ability to set the temperature up to 230 °C, which ensures the pizza has a perfectly crispy crust and a juicy filling.

The baking tray is 10.5 cm high; the usable height for baking is 6 cm.

Online
cookery
book



FR9000

Hot-air fryer 18.5 l
PIZZA TRIO

- A healthy way to cook food without fat
- Total capacity: 18.5 l
- 2x deep-fry baskets, each with a capacity of 4.25 litres
- 1x multifunctional baking drawer with a 30 cm diameter baking tray (10 l capacity)
- Illuminated viewing window for inspecting food
- Colour touchscreen display
- 8 pre-set programmes: chips, drying, baking, fish, chicken, reheating, pizza, keep warm
- Synchronised end of baking
- Temperature 40—200 °C, PIZZA: 40—230 °C
- Overheating safety cut-out
- Colour: stainless steel + black
- Power consumption: 2,700 W
- Voltage: 220—240 V

TOP
product

smartly
designed



8 preset
programmes

Chips

Drying

Baking

Fish

Chicken

Heating

Keep warm


Pizza



SYNCHRONISED END OF BAKING

Two separate deep-fry baskets, each with a capacity of 4.25 litres and a lighted viewing window, allow you to prepare different dishes at the same time without the flavours mixing. A major advantage is the synchronised finish function, which ensures that both dishes are ready at the same time, even if they have different cooking times.

The third, multifunctional baking tray is a brand-new feature that significantly expands the overall versatility of the deep fat fryer.





FR4600 **N**

Hot-air fryer

- A healthy way to prepare food without fat
- Capacity of the non-stick deep-fry basket: 2 × 5 litres
- Illuminated viewing window for food inspection
- Colour touchscreen
- 8 pre-set programmes (chips, steak, chicken, bread, vegetables, prawns, fish, pizza)
- Adjustable temperature control: 80—200 °C
- Adjustable cooking time: 1—60 mins.
- Cooking completed simultaneously in both baskets
- Temperature maintenance function
- Both the deep-fry baskets and trays are dishwasher-safe
- Dimensions: 430 × 250 × 460 mm
- Power consumption: 2,400 W



FR8000

Hot-air fryer DOUBLE

- A healthy way to prepare food without fat
- Hot-air technology
- 2 × 4-litre metal deep-fry basket with a non-stick coating
- Total capacity: 8 l
- The option to cook two dishes at the same time
- Deep-fry baskets with a viewing window for easy monitoring of food
- Digital controls with a touchscreen display
- 6 pre-set programmes + DIY
- Adjustable temperature control: 40—200 °C
- Drying programme: (40 °C)
- Timer: 1—60 mins, drying programme: 1—24 hours.
- Dimensions: 312 × 365 × 365 mm
- Power consumption: 2,850 W



FR8010

Hot-air fryer

- A healthy way to prepare food without fat
- Hot-air technology
- Metal deep-fry basket with a non-stick coating (dishwasher-safe)
- Bin capacity: 7 litres
- Clear LED display with touch controls
- 10 pre-set programmes (chips, dessert, sweet potatoes, pizza, fish, prawns, steak, chicken, chicken wings, vegetables)
- Adjustable temperature control: 80—200 °C
- Delayed start: 30 mins — 12 hours
- Timer: up to 60 mins.
- Dimensions: 312 × 365 × 365 mm
- Power consumption: 1,500 W



FR5010 **N**

Hot-air fryer

- A healthy way to prepare food without fat
- Capacity of the non-stick deep-fryer basket: 5 litres
- Illuminated viewing window for food inspection
- Colour touchscreen
- 6 pre-set programmes (chips, steak, chicken, bread, vegetables, prawns)
- Adjustable temperature control: 80—200 °C
- Adjustable cooking time: 1—60 mins.
- Overheating safety cut-out
- Both the frying basket and the tray are dishwasher-safe
- Dimensions: 308 × 252 × 398 mm
- Power consumption: 1,500 W



FR4510



Hot-air fryer

- A healthy way to prepare food without fat
- Capacity of the non-stick deep-fryer basket: 10 l
- The deep-fry basket can be divided into two zones
- Illuminated viewing window for food inspection
- Colour touchscreen
- 8 pre-set programmes (chips, steak, chicken, bread, vegetables, prawns, fish, pizza)
- Adjustable temperature control: 80—200 °C
- Adjustable cooking time: 1—60 mins.
- Cooking completed simultaneously in both baskets
- Temperature maintenance function
- Both the deep-fryer basket and the trays are dishwasher-safe
- Dimensions: 296 × 380 × 465 mm
- Power consumption: 2,800 W



FR4500



Hot-air fryer

- A healthy way to prepare food without fat
- Capacity of the non-stick deep-fryer basket: 2 × 5 l
- Illuminated viewing window for food inspection
- Colour touchscreen
- 8 pre-set programmes (chips, steak, chicken, bread, vegetables, prawns, fish, pizza)
- Adjustable temperature control: 80—200 °C
- Adjustable cooking time: 1—60 mins.
- Cooking completed simultaneously in both baskets
- Temperature maintenance function
- Both the deep-fry baskets and trays are dishwasher-safe
- Dimensions: 296 × 380 × 430 mm
- Power consumption: 2,500 W



FR5500

Hot-air fryer GLASS & FAST

- A healthy way to prepare food without fat
- Hot-air technology
- Glass deep-fryer basket with front and rear handles (borosilicate glass)
- Bin capacity: 5.5 litres
- Digital display with touch controls
- 7 pre-set programmes (chips, chicken wings, steak, fish, prawns, chicken, defrost)
- Adjustable temperature control: 40—200 °C
- Timer: 1—60 mins.
- Dimensions: 284 × 356 × 297 mm
- Power consumption: 1,200 W



FR2500

Hot-air fryer

- A healthy way to prepare food without fat
- Hot-air technology
- Capacity of the metal deep-fryer basket: 2.5 l
- Digital LED display with touch and manual controls
- 8 pre-set programmes (chips, bacon, fish, chicken, prawns, steak, roasting, vegetables)
- DIY manual mode with the option to set your own temperature and time
- Adjustable temperature control: 80—200 °C
- Timer
- Dimensions: 235 × 287 × 300 mm
- Power consumption: 1,200 W

One pot
**ENDLESS
POSSIBILITIES**

Steam cooker

Air fryer

Pressure cooker

Rice Cooker, Oven, Food Dryer

Yoghurt maker

Soup maker

Slow cooker

Frying pan, Cooking

**HEALTHY
STEAMING**

**QUICK COOKING
UNDER PRESSURE**

CK8000

**Multifunctional pressure cooker
with the AIR FRY lid**

- Multifunctional pressure cooker: 11 in 1
- 3 lids: pressure, convection and glass lids for slow cooking
- Container capacity: 5.6 l
- Metal non-stick inner pan
- Control panel in Czech (+ English)
- Clear LED display with touch controls
- Low and high pressure settings
- 30 programmes for pressure cooking and slow cooking
- 12 hot-air programmes
- Adjustable temperature control: 80–200 °C
- Keep Warm function to maintain the temperature
- Timer
- Noise level: ≤ 51 dB
- Voltage: 220–240 V — 50/60 Hz
- Power consumption: 1,000–1,500 W



CONTROL
IN CZECH



CONTROL
IN CZECH



CK9000

Multifunctional slow cooker

- Container capacity: 6 l
- Non-stick inner pot with a ceramic coating
- Control panel in Czech (+ English)
- Digital display
- Tempered glass lid
- 10 preset programmes (slow cooking at low and high temperatures, sautéing, roasting, reheating, stewing, rice, grains/pulses, yoghurt, steaming) + manual mode
- Delayed start
- Temperature maintenance function
- Noise level: ≤ 51 dB
- Power consumption: 1,250 W
- A recipe book is included in the pack



RE4040

Digital rice cooker

- 2 in 1: quick and easy rice cooking + healthy steaming, low-carb cooking
- Removable inner container with a non-stick surface for easy cleaning
- Container capacity: 2 litres
- Digital touchscreen
- 9 preset programmes (white rice, steam, quick cook, reheat, brown rice, quinoa, soup, porridge, yoghurt)
- KEEP WARM function — 24 hours
- Delayed start (up to 24 hours)
- Overheating safety cut-out
- Dimensions: 229 × 260 × 238 mm
- Power consumption: 360–450 W

CONTROL
IN CZECH



CK8001

Multifunctional pressure cooker with Wi-Fi

- Container capacity: 5.6 l
- Multifunctional kitchen appliance (preserving/slow cook/steamer/pressure cooker, rice cooker, soup maker, yoghurt maker, sous-vide cooker)
- Concept Home mobile app
- A clear digital display in Czech
- Language interfaces: CZ, SK, PL, EN
- Compatibility: iOS 9.0 and later, Android 5.0 and later
- 13 preset programmes on the slow cooker
- 24 preset programmes in the mobile app
- Temperature maintenance function
- Delayed start: 0.5–24 hours
- Power consumption: 1,000 W



RE3030

Digital rice cooker

- 2 in 1: quick and easy rice cooking + healthy steaming
- Removable inner container with a non-stick surface for easy cleaning
- Container capacity: 1.5 l
- Digital touchscreen
- 9 preset programmes (white rice, steam, quick cook, reheat, brown rice, quinoa, soup, porridge, yoghurt)
- KEEP WARM function — 24 hours
- Timer
- Dimensions: 214 × 223 × 201 mm
- Power consumption: 315–380 W

Temperature sensor

Steaks

Bacon

Poultry

Fish

Vegetables

Sandwiches

DIY mode

Waffles



GE3550

Contact grill with temperature probe

- 2 sets of non-stick plates: 1 set comprising a double-sided grill/panini plate and a smooth plate for pancakes, 1 set of waffle plates
- Split Zone — the option to adjust the temperature on each hob individually (DIY mode)
- Grill Assistant — cooking steaks with a choice of doneness
- BBQ cooking — open at 180 °C
- 10 programmes + DIY (poultry, fish, bacon, sandwich, vegetables, MED RARE, MED WELL, MEDIUM, WELL DONE, waffles)
- Temperature sensor
- Dimensions of the panels: 243 × 281 × 115 mm
- Temperature control: 80–230 °C
- Barbecue lock (space-saving storage)
- The plates are dishwasher-safe
- Voltage: 220–240 V
- Power consumption: 2,000 W



130°

220°

SPLIT ZONE

It allows you to set the temperature for each hob individually or to heat just one hob. This means you can prepare a variety of dishes and adjust the temperature and cooking time exactly as required.

smartly
designed



GE3600

Contact grill with glass temperature probe

- Digital display + digital controls
- Temperature sensor
- Cleaning scraper
- Glass surface
- 1 pair of non-stick barbecue plates
- Dimensions of the boards: 300 × 230 mm
- Grilling surface: 1,380 cm²
- 10 programmes (chicken, fish, bacon, sausage, vegetables, MED RARE, MED WELL, MEDIUM, WELL DONE + DIY manual setting)
- BBQ — can be opened 180°C
- SPLIT ZONE function — the option to adjust the temperature on each hob individually (DIY mode)
- GRILL ASSISTANT function — selecting the degree of doneness for meat
- Fat-collection tray
- Temperature control: 80–230 °C
- Thermally insulated handle
- Easy to clean — the grill plates are dishwasher-safe
- Barbecue lock (space-saving storage)
- Material: glass/plastic, non-stick aluminium
- Colour: black
- Voltage: 220–240 V - 50/60 Hz
- Power consumption: 2,000 W



GE2005

Contact grill

- High-quality non-stick worktops
- Dimensions of the boards: 278 × 170 mm
- Grilling surface area: 945.2 cm²
- BBQ — the option to cook on both hotplates at the same time
- A container for collecting dripping juice and fat
- Temperature controller
- Thermally insulated handle
- Easy to clean
- Option to serve directly on the grill plates
- Colour: stainless steel + black
- Voltage: 220–240 V
- Power consumption: 1,500 W



SV3090



Toaster 3 in 1

- 3 in 1: toaster, waffle maker, grill
- Sturdy metal base
- Safe, cool handle
- Non-stick surface
- Very easy to maintain — the hobs are dishwasher-safe
- Plate dimensions: 225 × 130 mm
- Dimensions: 232 × 242 × 105 mm
- Voltage: 220–240 V
- Power consumption: 800 W



SV3091



Toaster 3 in 1

- 3 in 1: toaster, waffle maker, grill
- Sturdy metal base
- Safe, cool handle
- Non-stick surface
- Very easy to maintain — the hobs are dishwasher-safe
- Plate dimensions: 225 × 130 mm
- Dimensions: 232 × 242 × 105 mm
- Voltage: 220–240 V
- Power consumption: 800 W



SV3080

Toaster FAMILY 3 in 1

- 3 in 1: toaster, waffle maker, grill
- A stainless steel finish combined with black plastic
- Safe, cool handle
- Non-stick surface
- Very easy to maintain — the hobs are dishwasher-safe
- Plate size: 268 × 228 mm
- Dimensions: 275 × 345 × 104 mm
- Voltage: 220–240 V
- Power consumption: 1,200 W



SV3031

Toaster

- Frying pans with a high-quality non-stick coating
- Operating indicator light
- Heating indicator light
- Safe, cool handle
- Very easy to maintain
- Colour: stainless steel + black
- Voltage: 220–240 V
- Square tiles
- Power consumption: 700 W



VF3040

Waffle maker

- White ceramic tiles featuring a Belgian waffle design
- High-quality non-stick ceramic coating
- Operating indicator light
- Heating indicator light
- Safe, cool handle
- Cable storage compartment
- Colour: stainless steel + black
- Voltage: 220–240 V
- Power consumption: 1,000 W



VF3060



Waffle maker

- Non-stick surface of the hotplates
- Thermostat
- Operating indicator light
- Heating indicator light
- Safe, cool handle
- Cable storage compartment
- Colour: stainless steel + black
- Voltage: 220–240 V
- Power consumption: 1,400 W



TE2016

Toaster ELWOOD

- Automatic centring for even toasting
- Electronic timer (7 browning settings)
- Defrost/Reheat/Immediate Stop functions
- High-lift function for easy removal of toasted bread
- Operating indicator light
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 780–930 W

Designed to match the Concept RK3316 electric kettle



SV3070

Toaster XXL 4 in 1

- 4 in 1: XXL grill, triangular sandwiches, square sandwiches, waffles
- A stainless steel finish combined with black plastic
- Heat indicator light
- Replacement hotplates
- Non-stick surface of the hotplates
- The hobs are dishwasher-safe
- Extra size: 140 × 130 mm
- Voltage: 220–240 V
- Dimensions: 275 × 260 × 105 mm
- Power consumption: 900 W



SV3055

Toaster 4 in 1

- 4 in 1: toaster, waffle maker, grill, pancake maker
- A striking matt finish
- Automatic temperature control
- Safe, cool handle
- Non-stick surface
- Very easy to maintain — the hobs are dishwasher-safe
- Voltage: 220–240 V
- Dimensions: 230 × 235 × 97 mm
- Power consumption: 700 W



SV3054

Toaster 3 in 1

- 3 in 1: toaster, waffle maker, grill
- A striking matt finish
- Automatic temperature control
- Safe, cool handle
- Non-stick surface
- Very easy to maintain — the hobs are dishwasher-safe
- Voltage: 220–240 V
- Dimensions: 230 × 235 × 97 mm
- Power consumption: 700 W



■ SV3052 ▲ SV3051

Toaster

- Heat indicator light
- Easy maintenance
- Non-stick surface of the hotplates
- A striking matt finish
- Voltage: 220–240 V
- Dimensions: 230 × 230 × 90 mm
- SV3051: triangular hotplates
- SV3052: square slabs
- Power consumption: 700 W



TE2015

Toaster ELWOOD

- Automatic centring for even toasting
- Electronic timer (7 browning settings)
- Defrost/Reheat/Stop heating immediately functions
- High-lift function for easy removal of toasted bread
- Operating indicator light
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 780–930 W

Designed to match the Concept RK3315 electric kettle



TE2050



Toaster SINFONIA

- Ideal for making both thin and thick slices of toast (extra-wide slot)
- Automatic centring for even toasting
- Electronic timer
- Defrost/Reheat/Immediate Stop functions
- Automatic ejection of baked goods and switching off of the appliance
- Material: stainless steel
- Colour: brushed stainless steel
- Dimensions: 280 × 160 × 190 mm
- Power consumption: 950 W



TE2052



Toaster BLACK

- Ideal for making both thin and thick slices of toast (extra-wide slot)
- Automatic centring for even toasting
- Electronic timer
- Defrost/reheat/immediate stop functions
- Automatic ejection of baked goods and switching off of the appliance
- Material: stainless steel
- Colour: matt black
- Dimensions: 280 × 160 × 190 mm
- Power consumption: 950 W



TE2075

Toaster

- Automatic centring for even toasting
- Electronic timer
- Defrost/Reheat/Immediate Stop functions
- High-lift function for easy removal of toasted bread
- Operating indicator light
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 780–930 W

Designed to match the Concept RK2375 electric kettle

08

LARGE CAPACITY 27 L

It can hold up to 22 glasses with a capacity of 720 ml or 34 glasses with a capacity of 370 ml per load.



ZH0050 **N**

Digital preserving pot 27 l

- Preserving fruit, vegetables, mushrooms and meat; making juices and preparing hot drinks
- KEEP WARM temperature maintenance
- Capacity: 27 l
- Capacity: 22× 720 ml jars or 34× 370 ml jars
- Stainless steel container
- An audible signal to indicate the end of the programme
- Large LCD display
- Continuously adjustable temperature setting: 30–100 °C
- Timer: 1–120 mins.
- Cold handrails
- Lid secured in the correct position
- Removable stainless steel drain valve for easy cleaning
- Overheating protection
- Colour: stainless steel + black
- Power consumption: 2,000 W
- Tongs for easily removing sealed jars are included in the pack

EASY TO USE



ZH0040

Digital preserving pot 27 l

- Preserving fruit, vegetables, mushrooms and meat; making juices; preparing hot drinks
- KEEP WARM temperature maintenance
- Capacity: 22× 720 ml jars or 34× 370 ml jars
- An audible signal to indicate the end of the programme
- Large LCD display
- Continuously adjustable temperature: 30–100 °C
- Timer: 1–120 mins.
- Cold handrails
- Lid secured in the correct position
- Removable drain valve for easy cleaning
- Dimensions: 450 × 480 mm
- Overheating protection
- Colour: stainless steel + black
- Power consumption: 2,000 W
- Voltage: 230 V - 50/60 Hz



ZH0030

Preserving pot 27 l

- Capacity: 22× 720 ml jars or 34× 370 ml jars
- Stainless steel container
- An audible signal when the set temperature is reached
- Drain tap, positioned on the side of the appliance for practical reasons
- Temperature control: 50–100°C
- Preserving time can be set between 20 and 120 minutes.
- Power consumption: 2,000 W

EXTEND LIFE TO YOURS FOOD

A vacuum sealer prevents air from entering, thereby preventing the loss of important nutrients contained in food whilst preserving its fresh taste and aroma.



VA0060

Vacuum film sealer PROFI

- DC motor for maximum performance
- Upper cover made of dark stainless steel
- A clear display with pre-set programmes
- A 2.5 mm wide double weld for maximum sealing
- Vacuum: 0.85 bar
- Voltage: 220–240 V
- Power consumption: 130 W
- The pack includes a roll of vacuum film, a cutter and a tube



VA0050

Vacuum film sealer

- PULSE function for complete control over the vacuum-packing of delicate foods
- Handle for easy handling
- Choosing dry and wet food
- Removable tray for residual moisture
- Non-slip feet
- Dimensions: 400 × 160 × 90 mm
- Vacuum: 0.7 bar
- Voltage: 220–240 V
- Power consumption: 110 W
- The pack includes a roll of vacuum film, a cutter and a tube



VA0040

Vacuum film sealer

- Automatic vacuum-packing of food
- LED button lighting
- Choosing dry and wet food
- Residual moisture reservoir
- TURBO power button
- Non-slip feet
- Dimensions: 380 × 150 × 60 mm
- Vacuum: 0.7 bar
- Colour: stainless steel with black detailing
- Voltage: 220–240 V
- Power consumption: 120 W

TOP
product

20
plates

8 programmes

Apple

Bananas

Pears

Fish

Pork

Lemons

Mushrooms

Tomatoes

20×

2×

2×

SO7000



Digital fruit dryer

TWO SEPARATE COMPARTMENTS WITH XXL CAPACITY

Separate chambers offer maximum flexibility for home drying. For smaller quantities, simply switch on one chamber to save energy; for larger batches, use both at the same time. **Each chamber can be set independently**, so you can dry different ingredients at the same time without mixing smells and flavours — for example, fruit in one and herbs or meat in the other.

In total, it features **20 stainless steel trays** — 8 in the upper compartment and 12 in the lower compartment. What's more, the interior lighting allows you to monitor the drying process without having to open the door.

- Digital touchscreen
- 2 separate drying chambers that can operate independently — a different programme can be set for each one, so odours and flavours do not mix; you can dry in one or both at the same time
- 8 pre-set programmes — apples, bananas, pears, lemons, mushrooms, tomatoes, fish, pork
- 20 stainless steel drying trays: 8 in the upper compartment / 12 in the lower compartment
- 2 herbal trays + 2 RAW trays
- Interior lighting
- Temperature: 35–75 °C
- Plate dimensions: 29 × 29 cm
- Timer: 1–48 hours
- Power consumption: 1,500 W
- Overheating protection
- Dimensions (H × W × D): 657 × 332 × 403 mm
- Material: stainless steel



5 programmes

Fruit

Vegetables

Meat

Yoghurt

Sterilisation

INFRARED LIGHT FOR FASTER AND HEALTHIER DRYING


The food is dried just as naturally as it would be in the sun, but without harmful UV radiation. Infrared radiation dries food more quickly and preserves more vitamins, enzymes, minerals and fibre.

SO4000

Fruit Dryer INFRA 500 W

- Option to select INFRA drying
- Option to select HEATER-only drying (without INFRA)
- Preset programmes: fruit, vegetables, meat, yoghurt, sterilisation (cleaning)
- Temperature settings: 35–75 °C
- Manual programme — you can set both the time and temperature as required
- Accessories: tray, 1 m cable, 5 stainless steel plates
- Sieve dimensions: 300 × 240 mm
- Colour: black
- Timer: 1–99 hours





SO5000

Fruit dryer

- LED display + digital controls
- 10 pre-set programmes: apple, kiwi, bananas, pears, fish, lemon, mushrooms, chicken, tomatoes, pork
- 14 stainless steel drying trays + stainless steel tray
- 1 herb tray + 1 RAW tray
- Interior lighting
- Temperature: 35–75 °C
- Fan for even drying
- Average salary: 290 mm
- Timer: 1–48 hours
- Noise level: < 50 dB
- Power consumption: 850 W
- Voltage: 220–240 V, 50/60 Hz
- Overheating protection
- Dimensions (H × W × D): 455 × 330 × 398 mm
- Material: stainless steel



Apple Bananas

Pears, kiwis

Fish, Chicken, Pork

Lemon

Mushrooms

Tomatoes



SO3000



Fruit dryer PROFI

- Continuously adjustable drying temperature: 35–70 °C
- Two fans for even drying
- 6 stainless steel plates
- Digital timer: 1–99 hours
- LED display
- Tray dimensions: 340 × 385 mm
- Overheating protection
- Voltage: 220–240 V
- Power consumption: 1,000 W



SO2042

Fruit dryer

- Continuously adjustable drying temperature from 35 to 70 °C
- Silicone mould for making homemade muesli bars
- Digital control
- Number of salaries: 9
- Timer: 10 mins – 48 hours
- Drying area: 0.7 m²
- Dimensions of the plate: 390 × 265 × 25 mm
- Power consumption: 500 W



SO3020

Fruit dryer

- Continuously adjustable drying temperature from 35 to 70 °C
- Digital, touchscreen display
- Number of salaries: 7
- Motor unit at the top of the product
- Fan for even drying
- Timer: 10 mins – 48 hours
- Average salary: 340 mm
- Overheating protection
- Dimensions of the plate: 320 × 340 × 30 mm
- Power consumption: 500 W



SO2020

Fruit dryer RAW FOOD

- Continuously adjustable drying temperature: 35–70 °C
- 2× RAW trays
- Fan for even drying
- Digital timer: 1–48 hours
- LED display
- Number of salaries: 9
- Average salary: 320 mm
- Overheating protection
- Voltage: 220–240 V
- Power consumption: 500 W



SO3010

Fruit dryer

- Touchscreen
- Digital control
- Motor unit in the upper part of the product
- Number of salaries: 9
- Average salary: 325 mm
- Top-loading drying
- Timer: 10 mins – 48 hours
- Temperature: 35–70 °C
- Power consumption: 245 W
- Voltage: 220–240 V



SO1060

Fruit dryer IN TIME

- Continuously adjustable drying temperature: 35–70 °C
- Digital timer
- Fan for even drying
- Rectangular screens
- Number of salaries: 9
- Screen size: 313 × 255 mm
- Screen height: 33 mm
- Colour: green + white
- Power consumption: 230–260 W



SO1025

Fruit dryer XXL

- Drying fruit, vegetables, mushrooms, herbs, flowers, meat, fish and pasta
- Continuously adjustable drying temperature: 35–70 °C
- Fan for even drying
- XXL drying area
- Number of salaries: 12
- Average salary: 320 mm
- Quiet operation: 46 dB(A)
- Colour: green and white
- Power consumption: 245 W
- Voltage: 220–240 V



SO1090

Fruit dryer

- Drying fruit, vegetables, mushrooms, herbs, flowers and pasta
- Continuously adjustable drying temperature: 35–70 °C
- Number of salaries: 9
- Drying area: 0.6 m²
- Average salary: 295 mm
- Two salary options
- Overheating protection
- Colour: white + black
- Power consumption: 320–380 W



SO1020

Fruit dryer GOBI

- Continuous adjustment of the drying temperature: 35–70 °C
- Fan for even drying
- Number of salaries: 9
- Average salary: 320 cm
- Quiet operation: 46 dB(A)
- Overheating protection
- Colour: white
- Power consumption: 245 W
- Voltage: 220–240 V



SO1015

Fruit dryer

- Drying fruit, vegetables, mushrooms, flowers, meat, fish and pasta
- Continuously adjustable drying temperature: 35–70 °C
- Fan for even drying
- Number of salaries: 6
- Average salary: 320 mm
- Quiet operation: 46 dB(A)
- Colour: yellow
- Power consumption: 245 W
- Voltage: 220–240 V




SO2080



Digital fruit dryer

- A healthy way to store food
- Two height settings – allowing even bulkier food to be dried
- Temperature settings: 35–70 °C
- Timer
- Number of salaries: 6
- Tray dimensions: 305 × 250 mm
- Power consumption: 230–260 W
- Voltage: 230–240 V

10



Air Supreme



VM8310 **N**

Hair multistyle BLDC Air Supreme

- Multifunctional styling: drying, curling, straightening, volume
- High-speed BLDC motor
- PROFESSIONAL KIT with 8 attachments — blow-dry attachment, round styling brush, left-hand curling attachment, right-hand curling attachment, straightening brush, oval brush for volume, anti-frizz attachment, diffuser
- 3 airflow speeds
- Temperature settings: 30, 60, 90, 120 °C
- LED display
- COOL SHOT — cool air to finish off your hairstyle
- Ion Plasma technology — for shiny hair and to eliminate frizz
- Heat-protective gloves
- Luxury storage box
- Removable rear grille for easy cleaning
- 360° swivel cable
- Voltage: 220–240 V - 50/60 Hz
- Power consumption: 1,400 W



VV8300 **N**

Hairdryer BLDC Air Supreme

- High-speed BLDC motor, 110,000 rpm
- Colour LCD display
- Grip Sensor function (automatic switch-off)
- IntelliDry AI feature
- 3 magnetic attachments: concentrator, diffuser, comb attachment
- Number of modes: 6
- Number of temperature settings: 3
- Number of drying speeds: 3
- Infrared Light — infrared light for even heating of the hair and gentle styling
- Ion Plasma technology — eliminates frizz and static in the hair
- Self-cleaning function
- Voltage: 220–240 V - 50/60 Hz
- Power consumption: 1,600 W



VZ8310 **N**

Hair straightener Dry & Straight Air Supreme

- Dry & Straight Duo — dry and straighten your hair in one step
- For dry and wet hair
- High-speed BLDC motor, 110,000 rpm
- Ion Plasma technology — eliminates frizz and static in the hair
- Infrared Light — infrared light for even heating of the hair and gentle styling
- Cool Shot for styling
- Number of temperature settings: 5
- Number of drying speeds: 3
- Temperature settings: 60, 90, 120, 140, 160 °C
- Automatic switch-off after 10 seconds of inactivity
- Surface of the ironing plates: NST nano surface
- Self-cleaning function
- Storage bag
- Voltage: 220–240 V - 50/60 Hz
- Power consumption: 1,200 W



ProfiCare



VM8110



**Hair multistyle BLDC
PROFI Care**

- Multifunctional styling
- High-speed BLDC motor
- A comprehensive set of accessories comprising 5 attachments: a blow-dry attachment with a concentrator, a left-hand curling attachment, a right-hand curling attachment, a straightening brush and an oval brush for volume
- 2 airflow speeds
- Temperature range: 30–90 °C
- LED display
- Built-in IONISATION function
- COOL SHOT — cool air to finish off your hairstyle
- Storage box
- Removable rear grille for easy cleaning
- Voltage: 220–240 V - 50/60 Hz
- Power consumption: 1,200 W



VV8100

**Hair dryer BLDC
PROFI Care**

- High-speed BLDC motor, 110,000 rpm
- LED display
- Built-in IONISATION for shiny hair and to eliminate static and frizz
- 3 magnetic attachments (concentrator, diffuser and aromatherapy attachment)
- Oil therapy
- COOL SHOT — cool air to set your hairstyle
- 4 pre-set modes + child mode
- 8 temperature settings
- 3 drying speeds
- Voltage: 220–240 V, 50–60 Hz
- Power consumption: 1,600 W



VZ8100

**Hair straightener
PROFI Care**

- Multifunctional — straightening, waves, volume
- CoolAir — cold air technology to set your style and lock in moisture
- Temperature settings: 140, 160, 180, 200 and 220 °C
- Floating plates for even contact with the hair
- Surface: titanium/ceramic
- 360° swivel cable
- Storage bag
- Transparent heat-resistant cover
- Voltage: 100–240 V, 50/60 Hz
- Power consumption: 60 W

GlamStyle



VV7120



**Hair dryer BLDC
GLAM Style**

- High-speed BLDC motor, 110,000 rpm
- IONISATION for shiny hair and to eliminate static electricity and frizz
- COOL SHOT — cool air to set your hairstyle
- 3 speeds, 3 temperature settings
- Compact size, low weight
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 1,400 W



KT2140

**Hair curler — Triple
GLAM Style**

- Hair styler for creating waves
- LED display
- Temperature range: 120–200 °C
- Fast heating: 120 °C in 30 seconds
- Smart timer: 8 s
- Automatic switch-off after 30 min.
- Surface: ceramic
- 360° swivel cable
- Storage bag
- Voltage: 100–240 V, 50/60 Hz
- Power consumption: 100 W



VZ2110

**Hair straighteners
GLAM Style**

- Ceramic coating on the ironing surfaces
- Temperature range: 140–220 °C
- Fast heating: 140 °C in 40 seconds
- LED temperature indicator
- Power cable that swivels 360°
- Ironing board lock
- Automatic switch-off after 30 min.
- Storage bag
- Voltage: 100–240 V, 50/60 Hz
- Power consumption: 48 W



KK2125

**Conical hair curler
GLAM Style**

- Shampoo bar infused with keratin and argan oil
- Diameter: 19–25–32 mm
- Thermally insulated end cap
- Fast heating: 120 °C in 30 seconds
- Adjustable temperature 120–200 °C
- Automatic switch-off after 30 min.
- Heat-protective gloves
- Storage bag
- Voltage: 100–240 V, 50/60 Hz
- Power consumption: 50 W

Elite



VV6030

Hairdryer Infrared Boost ELITE Ionic

- Powerful BLDC motor
- INFRARED BOOST — infrared light for even heating of the hair and gentle styling
- IONISATION for shiny hair and to eliminate frizz
- 5 attachments: small diffuser, large diffuser, comb attachment — VOLUME BOOSTER, narrow/wide concentrator
- COOL SHOT — cool air to finish off your hairstyle
- Storage bag
- 2 speeds, 3 temperature settings
- Voltage: 220–240 V, 50–60 Hz
- Power consumption: 1,800–2,200 W



VH6040

Hot-air hair straightening brush Infrared Boost ELITE Ionic

- Hot-air styling brush for drying, straightening, waves and volume
- INFRARED BOOST — infrared light for even heating of the hair and gentle styling
- IONISATION for shiny hair and to eliminate frizz
- Ceramic cooking surface
- Temperature range: 180–210 °C
- 360° swivel cable
- Storage bag
- 3 modes
- Voltage: 100–240 V, 50/60 Hz
- Power consumption: 450–550 W



VZ6010

Steam hair straightener Steam Boost ELITE

- Multifunctional — straightening, waves, volume
- STEAM BOOST — uses steam for gentle hair styling
- LED display for showing the temperature
- Temperature range: 150–230 °C
- Automatic switch-off after 60 minutes.
- Floating ironing plates for even contact with the hair
- Surface of the ironing plates: ceramic
- 10 g water tank
- 360° swivel cable
- Storage bag
- Voltage: 220–240 V, 50/60 Hz
- Power consumption: 54 W



VV5750

Hairdryer with ioniser TITAN Care

- 3 power settings (low/medium/high temperature and airflow speed)
- IONISATION for shiny hair and to eliminate static electricity and frizz
- COOL SHOT — cold air to set your hairstyle
- Removable rear grille for easy cleaning
- Power consumption: 1,600 W



KF1325

Hair dryer and curler 4 in 1 TITAN Care

- 2 temperature settings + COOL SHOT function for setting your hairstyle
- 4 types of attachments (large brush, 30 mm in diameter; small brush, 20 mm in diameter; flat brush; and concentrator)
- The CLICK-IN system
- Power consumption: 600 W



VZ1440

Hair straightener TITAN Care


- Ceramic coating on the ironing surfaces
- PTC technology — rapid heating
- Continuously adjustable temperature within the range 80–200 °C
- Floating ironing boards
- Power cable that rotates 360°
- Ironing board lock
- Automatic switch-off after 45 mins.
- Power consumption: 43 W



KF1310fi KF1310mo
KF1310ze

Hair dryer and curling iron BEAUTIFUL

- 2 speed settings
- 2 brushes with diameters of 20 and 16 mm
- 190 cm 360° swivel power lead
- Hanging loop
- Voltage: 230 V
- Power consumption: 400 W



smartly
designed

UP TO 1.5 MILLION FLASHES

Each lamp has a lifespan of 500,000 light pulses, meaning you have a total of 1.5 million flashes at your disposal. If you stick to the recommended treatment intervals and regularly treat the most common areas, the light pulses will last you a lifetime.

AVERAGE NUMBER OF FLASHES FOR SPECIFIC PARTS OF THE BODY:

- calf: 60—90 flashes
- thigh: 120—140 flashes
- underarms: 5—7 flashes
- bikini: 16—20 flashes



Attachment for
smaller areas



Hair removal



Problematic
skin



Attachment for
larger areas



Anti-ageing



Cooling



WIRELESS
DESIGN

IL5020

**IPL epilator
PERFECT SKIN PRO Anti-Age**

- IPL hair removal contributes to the reduction of hair even with roots
- It reduces hair on the legs, arms, underarms, bikini line and face
- Intense Pulsed Light technology
- Functions: hair removal, skincare, aftercare/cooling
- 5 levels, 2 modes — precision, gliss
- 6 attachments (4 main + 2 magnetic)
- Built-in UV filter and eye protection sensor
- The Concept IPL mobile app for treatment planning
- Lamp life: 500,000 pulses
- Number of lamps: 3
- Positioning of the lamp in the removable attachments (for hair removal, anti-ageing, and problem skin)
- Voltage: 100–240 V, -50/60 Hz, 1.2 A
- Can be used with or without a cable
- Power consumption: 36 W
- Application area: 3.6 cm² + magnetic attachments of 1.4 cm² and 2 cm²
- Dimensions: 175 × 75 × 140 mm
- Battery: Li-Ion
- Storage: storage box
- Colour: black + taupe gold



IL3020

**IPL epilator
PERFECT SKIN**

- IPL hair removal contributes to the reduction of hair even with roots
- It reduces hair on the legs, arms, underarms, back, bikini line and face
- 5 levels, 2 modes — precision, gliss
- Built-in UV filter
- Intense Pulsed Light technology
- 2 attachments — for the face (2 cm²), for the body (4 cm²)
- LCD display
- Eye protection sensor
- The Concept IPL mobile app for treatment planning
- Storage: case
- Lamp life: 300,000 pulses
- Voltage: 100–240 V, -50/60 Hz, 1.2 A
- Power consumption: 36 W
- Application area: 2–4 cm²
- Dimensions: 80 × 175 × 31 mm
- Colour: white + rose gold



IL3000

**IPL epilator
PERFECT SKIN**

- IPL hair removal contributes to the reduction of hair even with roots
- It reduces hair on the legs, arms, underarms, back, bikini line and face
- 5 levels, 2 modes — precision, gliss
- Built-in UV filter
- Intense Pulsed Light technology
- Eye protection sensor
- The Concept IPLpro mobile app for treatment planning
- Storage: case
- Lamp life: 300,000 pulses
- Voltage: 100–240 V, -50/60 Hz, 1.2 A
- Power consumption: 36 W
- Application area: 3 cm²
- Dimensions: 135 × 75 × 35 mm
- Colour: white + rose gold

smartly
designed

PREMIUM MEDICAL-GRADE SILICONE

Liquid medical-grade silicone is exceptionally soft, flexible and pleasant to the touch, ensuring it is comfortable to wear even during prolonged use.



MO8303



LED Face mask PERFECT SKIN

- LED light therapy
- 3 light modes + combinations with near-infrared and far-infrared light
- Wavelengths of the individual lights:
 - Blue light** - 460 nm
 - Yellow light** - 590 nm
 - Red light** - 633 nm
 - Near-infrared light** - 830 nm
 - Far-infrared light** - 1072 nm
- Anatomical shape + eye protection
- Material — liquid medical-grade silicone
- 400 LEDs
- Timer: 10 mins
- LED control indicators
- Storage bag
- Voltage: 5 V/1.3 A
- Battery life: up to 150 mins.
- Battery capacity: 2,500 mAh, 3.7 V



RED LIGHT

It stimulates the production of collagen and elastin, thereby increasing the skin's elasticity and helping to reduce fine lines.

NEAR-INFRARED LIGHT

It penetrates deeper into the skin, promotes tissue regeneration and aids healing.

DEEP INFRARED LIGHT

It acts on the deeper layers of tissue, improving blood circulation, relieving muscle tension and promoting cellular metabolism. It helps to regenerate the skin deep down, reduce inflammation and speed up healing, including of acne scars and damage caused by UV radiation.



BLUE LIGHT

It acts on the outer layers of the epidermis, has antibacterial properties and helps to eliminate the bacteria that cause acne. It soothes inflammation, reduces redness and helps to prevent the formation of blemishes.



YELLOW LIGHT

It penetrates the middle layer of the skin (the dermis), where it helps to reduce redness, irritation and inflammation. It helps to even out the skin tone, leaving the skin looking fresh and balanced.



PO2060

Cosmetic ultrasonic spatula PERFECT SKIN

- Cleansing mode — deep cleansing of the skin using high-frequency ultrasonic vibrations (up to 42 kHz)
- Lifting mode — skin firming using electrostimulation
- Charging: USB cable
- Moisturising mode — hydrates the skin and helps the skin absorb nutrients from skincare products
- IPX6 water resistance
- Dimensions: 148 × 44 × 16 mm



PO2030

Cosmetic ultrasonic spatula PERFECT SKIN

- It removes dead skin cells and thoroughly cleanses the skin using ultrasonic vibrations
- It improves the absorption of cosmetic products and softens the skin on the face
- 2 modes: skin cleansing, applying skincare products
- USB charging
- Case and storage bag
- Battery: Li-Ion, 600 mA
- Voltage: 5 V



KZ2010



Pocket-sized make-up mirror with LED

- Standard mirror + 2× magnifying mirror
- Easy to use
- Colour temperature of the light: 4,500—5,500 K (white)
- DC charging (DC cable included)
- Charging/operating time: 3/3 hours
- Material: ABS
- Compact dimensions: 118 × 58 × 14 mm
- Battery: Li-ion 3.7 V 300 mAh
- Voltage: 5 V DC, ≤ 300 mA, 1.5 W



KZ2020



Pocket-sized make-up mirror with LED


- Standard mirror + 2× magnifying mirror
- Easy to use
- Colour temperature of the light: 4,500—5,500 K (white)
- DC charging (DC cable included)
- Charging/operating time: 3/3 hours
- Material: ABS
- Compact dimensions: 118 × 58 × 14 mm
- Battery: Li-ion 3.7 V 300 mAh
- Voltage: 5 V DC, ≤ 300 mA, 1.5 W



SK9101

Facial cleansing brush SONIVIBE

- Suitable for daily deep cleansing, massage and smoothing of all skin types
- Frequency: 8,000 pulses per minute.
- Removes make-up, impurities and oil; unclogs blocked pores; reduces the appearance and formation of spots; enhances the absorption of skincare products
- Smart timer: 2 mins.
- 12 adjustable intensity levels
- IPX7 water resistance
- Coloured backlighting
- Operating/charging time: 3/3 hours
- USB charging cable
- Material: high-quality food-grade silicone



SK9100

SK9102



Facial cleansing brush SONIVIBE

- Suitable for daily deep cleansing, massage and smoothing of all skin types
- Frequency: 8,000 pulses per minute.
- Removes make-up, impurities and oil; unclogs blocked pores; reduces the appearance and formation of spots; enhances the absorption of skincare products
- Smart timer: 2 mins.
- 12 adjustable intensity levels
- IPX7 water resistance
- Coloured backlighting
- Operating/charging time: 3/3 hours
- USB charging cable
- Material: high-quality medical-grade silicone



VO6000 **N**

**Diagnostic personal scales 180 kg
PERFECT HEALTH**

- Digital diagnostic personal scales
- Colour LED display located in the handle
- Precise measurement using 8 electrodes
- Measuring accuracy: 100 g
- Minimum measurable value: 200 g
- Scale memory: up to 8 users
- The option to share results via (WhatsApp, Messenger and others)
- Detailed body analysis — 50 parameters
- Option to export results to PDF
- Batteries: 3 × 1.5 V AAA (included)
- Bluetooth connection
- App: Feelfit
- Compatible with Apple Health, Google Health Connect, Samsung Health and Fitbit apps
- Units of measurement: kg/lb/st
- Panel material: glass (5 mm)



DV7420

Heated blanket HYGGE

- Material: coral fleece + sherpa
- 9 heating temperature settings
- Automatic switch-off safety feature (20–180 mins)
- Quick heating
- Overheating protection
- Machine-washable thanks to the detachable controller
- Dimensions: 1,800 × 1,300 mm
- Voltage: 220–240 V - 50/60 Hz
- Power consumption: 160 W



DV7430

Heated mat

- Material: polyester
- 6 heating temperature settings
- Automatic switch-off safety feature — timer: 2/4/6 hours
- Quick heating
- Overheating protection
- Machine-washable thanks to the detachable controller
- Dimensions: 1,500 × 800 mm
- Voltage: 220–240 V - 50 Hz
- Power consumption: 100 W



BV1020

Heated boot

- Material: fleece and a washable, removable plush lining
- 3 heating temperature settings
- Automatic switch-off safety feature (90 mins)
- Quick heating
- Overheating protection
- Dimensions: 300 × 300 × 240 mm
- Voltage: 220–240 V - 50 Hz
- Power consumption: 100 W



VO5100 **N**

**Diagnostic bathroom scales 180 kg
PERFECT HEALTH**

- Digital diagnostic personal scales
- ITO technology
- LED display
- Measuring accuracy: 100 g
- Minimum measurable value: 200 g
- Family sharing
- Comprehensive body analysis — up to 18 parameters
- Batteries: 4 × 1.5 V AAA
- Bluetooth connection
- App: Concept Home
- Supports Android 6.0/iOS 13 and later
- Units of measurement: kg/lb/st
- Panel material: glass (5 mm)



VO4000

**Diagnostic personal scales 180 kg
PERFECT HEALTH**

- Digital diagnostic personal scales
- Measurement using bioelectrical impedance analysis (BIA)
- LED display
- Measuring accuracy: 100 g
- Minimum measurable value: 200 g
- Family sharing
- Up to 13 body parameters: weight, BMI, body fat, fat-free mass, subcutaneous fat, visceral fat, body water, skeletal muscle, muscle mass, bone mass, protein, BMR, metabolic age
- Batteries: 3 × 1.5 V AAA (included)
- App: Feelfit
- Tabletop material: glass



VO4001

**Diagnostic personal scales 180 kg
PERFECT HEALTH**

- Digital diagnostic personal scales
- Measurement using bioelectrical impedance analysis (BIA)
- LED display
- Measuring accuracy: 100 g
- Minimum measurable value: 0.2 kg
- Family sharing
- Up to 13 body parameters: weight, BMI, body fat, fat-free mass, subcutaneous fat, visceral fat, body water, skeletal muscle, muscle mass, bone mass, protein, BMR, metabolic age
- Batteries: 3 × 1.5 V AAA (included)
- App: Feelfit
- Tabletop material: glass



DV7360

Heated blanket

- Material: fleece
- 3 heating temperature settings
- Automatic switch-off safety feature (90 mins)
- Quick heating
- Overheating protection
- Machine-washable thanks to the detachable controller
- Dimensions: 300 × 400 mm
- Voltage: 220–240 V - 50 Hz
- Power consumption: 100 W



PN3020

Electric heel file

- LCD display
- Removable attachments for easy cleaning
- Extraction of sanded leather
- IPX6 water resistance
- 2 speeds
- USB charging
- Current: 1,000 mA
- Li-Ion battery: 1,200 Ah
- Charging time: 2–3 hours
- Battery life: 100 mins on a single charge
- Protective cover
- Cleaning brush
- Voltage: 5 V
- Optional accessories: replacement attachments, USB charging cable



PN3000

Electric heel file

- Removable attachments for easy cleaning
- Extraction of sanded leather
- IPX6 water resistance
- 2 speeds
- USB charging
- Current: 1,000 mA
- Li-Ion battery: 1,200 Ah
- Charging time: 2–3 hours
- Battery life: 100 mins on a single charge
- Protective cover
- Cleaning brush
- Voltage: 5 V
- Optional accessories: replacement attachments, USB charging cable

**smartly
designed**

IT ADAPTS TO YOUR CHILD'S NEEDS AND AGE

Ideal for children from 1 year old thanks to its adjustable vibration speed and replaceable heads of various sizes.



ZK4040



**Sonic toothbrush with UV steriliser
PERFECT SMILE**

- UV steriliser for maximum hygiene
- 10 cleaning modes
- Smart timer (4 × 30 s)
- Frequency: up to 38,000 vibrations per min.
- USB charging
- 2 brush heads (Daily Clean + Sensitive)
- Battery: Li-ion
- Charging time: 10 hours
- Material: ABS plastic
- Protection rating: IPX7 (waterproof)



ZK7010

**Sonic toothbrush with travel case
PERFECT SMILE**

- 9 cleaning modes
- Click-in warhead deployment system
- Cartridge replacement indicator
- Memory function
- Smart timer (4 × 30 s)
- Frequency: up to 84,000 strokes per min.
- USB wireless charging stand
- 4 brush heads (2× 3D, 2× Soft)
- Battery: Li-ion
- Charging time: <8 hours
- Material: ABS plastic
- Protection rating: IPX7 (waterproof)
- Travel case included in the pack



ZK7011

**Sonic toothbrush with travel case
PERFECT SMILE**

- 9 cleaning modes
- Click-in warhead deployment system
- Cartridge replacement indicator
- Memory function
- Smart timer (4 × 30 s)
- Frequency: up to 84,000 strokes per min.
- USB wireless charging stand
- 4 brush heads (2× 3D, 2× Soft)
- Battery: Li-ion
- Charging time: <8 hours
- Material: ABS plastic
- Protection rating: IPX7 (waterproof)
- Travel case included in the pack



ZK6020

Sonic toothbrush for children aged 5—9

- LED mode indicator
- 3 cleaning modes (EVERYDAY CLEAN, SOFT, MASSAGE)
- Frequency: up to 35,000 vibrations per minute.
- Charging: USB-DC
- 4 replacement heads (2× Small, 2× Medium)
- Battery: Li-Ion 600 mAh
- Charging time: 4 hours
- Battery life on a single charge: up to 3 weeks
- Material: ABS plastic, BPA-free
- Protection rating: IPX7 (waterproof)



ZK6010

Sonic toothbrush for children aged 5—9

- LED mode indicator
- 3 cleaning modes (EVERYDAY CLEAN, SOFT, MASSAGE)
- Frequency: up to 35,000 vibrations per minute.
- Charging: USB-DC
- 4 replacement heads (2× Small, 2× Medium)
- Battery: Li-Ion 600 mAh
- Charging time: 4 hours
- Battery life on a single charge: up to 3 weeks
- Material: ABS plastic, BPA-free
- Protection rating: IPX7 (waterproof)



ZK3020

Sonic toothbrush for children aged 1—5

- White and coloured LEDs
- 2 cleaning modes (CLEAN, SOFT)
- Frequency: up to 24,000 vibrations per minute.
- Charging: Magnetic USB
- 4 replacement heads (2× Small, 2× Medium)
- Battery: DC 3.7 V, 260 mAh lithium
- Charging time: 4 hours
- Battery life on a single charge: up to 60 days
- Material: ABS plastic, BPA-free
- Protection rating: IPX7 (waterproof)



ZK3010

Sonic toothbrush for children aged 1—5

- White and coloured LEDs
- 2 cleaning modes (CLEAN, SOFT)
- Frequency: up to 24,000 vibrations per minute.
- Charging: Magnetic USB
- 4 replacement heads (2× Small, 2× Medium)
- Battery: DC 3.7 V, 260 mAh lithium
- Charging time: 4 hours
- Battery life on a single charge: up to 60 days
- Material: ABS plastic, BPA-free
- Protection rating: IPX7 (waterproof)



CAMERA ROTATION

355° horizontally
and 55° vertically

**smartly
designed**

PARENTING UNIT

5-inch colour LCD display
1,280×720 px



KD5010

**Baby monitor with camera
and LED lighting KIDO**



- Range with the parent unit: up to 300 m
- Unlimited range with the Concept Home app
- Motion/sound detection
- Temperature/humidity monitoring
- Low or high temperature/humidity alarm
- Night vision mode (range: 5 m)
- Coloured LED backlighting
- Lullabies, feeding reminders
- Two-way communication
- Camera resolution on the baby unit: 2K + 4× zoom
- Parent unit resolution: 1,280 × 720 px
- Power supply: USB-C cable for the child's unit; battery and USB-C cable for the parent's unit
- The camera can be powered by a power bank
- Parent unit battery life/charge: 10 days (when activated 30 times a day)
- Option to save to a microSD card or the cloud
- Option to mount on the wall
- Flexible mount included in the pack
- Dimensions of the parent unit: 160 × 16 × 80 mm
- Dimensions of the paediatric unit: Ø 80 × 145 mm



FLEXIBLE MOUNT — the camera
exactly where you need it

A flexible mount that allows you to position the camera securely anywhere — without drilling into the wall or complicated installation. **You can easily attach the camera to a cot, shelf, pushchair or any other surface, and adjust it to the ideal viewing angle thanks to the flexible neck.** This makes it easy to adapt the baby monitor to any home.



KD4010

Baby monitor with camera SMART KIDO

- Range with the parent unit: up to 300 m
- Eco mode (standby/sleeping mode) on the parent unit
- Motion/sound detection, temperature/humidity monitoring
- Night-vision mode (range 10 m)
- Soothing LED night light, lullabies, feeding reminder
- Camera resolution on the child unit: 3 Mpx (2,304 × 1,296 px) + Zoom
- Camera rotation: 345° horizontally and 55° vertically
- Parent unit screen size: 5-inch colour LCD display
- Parent unit resolution: 1,280 × 720 px
- Power supply: USB cable for the child's unit; batteries and a USB cable for the parent's unit
- The camera can be powered by a power bank
- Parent unit battery: Li-Ion
- Parent unit battery life/charge: 10 days (when activated 30 times a day)
- Unlimited range with the Concept Home app
- Option to save to a microSD card or the cloud



KD2010



Baby monitor with camera KIDO

- Range with the parent unit: up to 300 m
- 3 mounting options: stand, wall mounting, flexible bracket
- Sound detection, temperature monitoring
- Low/high temperature and sound alarm
- Night vision mode (range 5 m), VOX mode
- Coloured LED backlighting, lullabies, feeding reminder
- Camera resolution on the baby unit: 720 px + 4× zoom
- Camera rotation: 355° horizontally and 90° vertically
- Parent unit screen size: 3.5-inch colour LCD display
- Parent unit resolution: 320 × 240 px
- Power supply: USB-C cable for the child's unit, battery and USB-C cable for the parent's unit
- The camera can be powered by a power bank
- Parent unit battery: Li-Ion
- Parent unit battery life/charge: 9 hours
- Flexible mount included in the pack



KD4000

Baby monitor with camera SMART KIDO

- Motion/sound detection
- Temperature/humidity monitoring
- Night vision mode (range: 10 m)
- Soothing LED night light, lullabies
- Secure connection system
- Camera resolution: 3 Mpx (2,304 × 1,296 px) + Zoom
- Unlimited range with the Concept Home app
- Camera rotation: 345° horizontally and 55° vertically
- Power supply: USB cable
- The camera can be powered by a power bank
- Option to mount on the wall
- Maximum number of users: 5



KD1000

Baby monitor with camera KIDO

- 3 mounting options: stand, wall mounting, flexible bracket
- Motion/sound detection
- Temperature monitoring
- Night-vision mode, lullabies, feeding reminder
- Camera resolution: 1,080 px FHD (1,920 × 1,080 px)
- Camera rotation: 360° horizontally and 90° vertically (manual)
- Power supply: USB-C cable; can be powered by a power bank
- Unlimited range with the Concept Home app
- Option to save to a microSD card or the cloud
- Maximum number of users: 25
- Flexible mount included in the pack



FROM MILK TO COFFEE

The travel kettle is the ideal companion for active parents and travellers alike. **It offers a quick, reliable and safe way to heat water and milk.** Once your children no longer need it, you can continue to use it — for example, to heat up coffee, tea or mulled wine whilst travelling.

LONG BATTERY LIFE AND FAST CHARGING

The heater is fitted with a powerful Li-ion battery with a capacity of 5,000 mAh. **Thanks to its fast-charging capability, it's fully charged in just 2 hours** — the adapter and USB-C cable are included in the pack.



OC4000

Portable heater KIDO

- Portable, battery-powered travelling hot water bottle
- Versatile use — heating water, milk, etc.
- Volume: 500 ml
- Keeps the temperature constant: up to 12 h
- Adjustable temperature from 35 °C to 55 °C
- Fast heating: 45 °C in just 3 minutes (150 ml of water at room temperature)
- Post-use bottle sterilisation programme
- Fast charging: in just 2 hours
- Silicone strap
- Dimensions (W × H × D): 86 × 230 × 89 mm
- Weight: 720 g
- Charging via USB-C
- Power consumption: 36 W



OL4010

Bottle warmer 3 in 1 DOUBLE KIDO

- A multifunctional warmer and steriliser in one for 2 baby bottles
- Gentle and even heating of baby food in a bain-marie
- Multiple heating settings: (37–44 °C, 45–69 °C, 70–90 °C and 100 °C)
- Temperature maintenance function
- Quick sterilisation of bottles and teats
- Defrosting
- Display — current temperature, target temperature
- Hinged lid for taller bottles/items
- Dimensions: 200 × 235 × 130 mm
- Power consumption: 200 W
- The pack contains 2 containers



OL4000

Bottle warmer 3 in 1 SINGLE KIDO

- Multifunctional warmer and steriliser
- Gentle and even heating of baby food in a bain-marie
- Multiple heating settings: (40 °C, 70 °C and 100 °C)
- Temperature maintenance function
- Quick sterilisation of bottles and teats
- Defrosting
- Diameter: 78 mm
- Dimensions: 135 × 150 × 145 mm
- Power consumption: 220 W
- The pack includes 1 container for storing and heating food (180 ml)



**+NASAL
ASPIRATOR**

OM4000



**Electric breast pump 2 in 1
KIDO Set**

- Fast and comfortable suction
- Two-stage extraction technology
- 9 levels
- It mimics a baby's sucking reflex
- Breast shield with a soft breast pad
- Protection against milk leaking into the hose and the motor
- LED light
- Engine unit
- Battery: Li-Ion
- Charging: USB cable
- BPA-free
- Includes: 1x S-size bottle, 1x M-size bottle, 2x milk containers, a nasal aspirator and a travel case



VD4000



**Digital baby scales with the app
KIDO**

- Maximum load capacity: 20 kg
- HOLD function — reliably records the weight, even if the baby is fidgeting
- TARE function — allows you to deduct the weight of items weighed at the same time as your baby
- Bluetooth connection
- The Ailink mobile app
- Automatic switch-off
- Capacity: 8 users
- Units: g, kg, lb
- Metre
- Batteries: 3x AAA
- Dimensions: 670 x 330 x 52 mm



SD4010

UV Dummy steriliser

- A portable UV steriliser, ideal for sterilising whilst on the move
- Rapid sterilisation in 2 minutes.
- Suitable for dummies, bottle teats, cup spouts and toothbrush heads
- Eliminates up to 99.9% of germs and bacteria
- Suitable for objects with a diameter of up to 50 mm
- UV lamp service life — 8,000 hours
- Dimensions: 96 x 85 x 85 mm

CLEANER WITH EVERY BREATH

An air purifier will help you to remove pollutants from the room that are generated in the home or enter it from outside.



CA3000

Air purifier with humidifier
Perfect Air Smart

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- 7-stage air filtration (5 filters + ioniser + UV lamp)
- Air circulation: 488 m³/h
- Suitable for rooms up to 60 m²
- Concept Home mobile app
- 8 air purification speeds
- SMART + SLEEP mode (automatic switch-over in the dark)
- Dust particle sensor with LED display
- Noise level: 30–60 dB
- Coloured backlighting depending on the level of pollution
- Power consumption: 85 W
- Dimensions: 400 × 620 × 230 mm



CA2000

Air purifier
Perfect Air Smart

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- 7-stage air filtration (5 filters + ioniser + UV lamp)
- Air circulation: 320 m³/h
- Suitable for rooms up to 40 m²
- Concept Home mobile app
- 3 air purification speeds
- AUTO + SLEEP mode
- Dust particle sensor with LED display
- Coloured backlighting depending on the level of contamination
- Noise level: 28–55 dB
- Power consumption: 80 W
- Dimensions: 370 × 650 × 195 mm



CA1020



Air purifier
Perfect Air Smart

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- 3-stage air filtration (HEPA filter 13, carbon filter, UVC)
- Air circulation: 150 m³/h
- Suitable for rooms up to 20 m²
- Dust particle sensor
- Concept Home mobile app
- 4 air purification speeds
- Coloured LED backlighting
- Noise level: max. 49 dB
- Dimensions: Ø 215, height 365 mm

RELAX WITH THE FAVOURITE MUSIC

Connect the DF201x diffuser to your smartphone or tablet via Bluetooth and, in an instant, you'll have a speaker through which you can play your favourite music, the radio or audiobooks.



DF2010



**Aroma diffuser
Perfect Air Light Wood**

- Water tank capacity: 300 ml
- 7 changing colours with a lock function
- Suitable for rooms up to 50 m²
- Suitable for aromatherapy
- Timer (1, 3, 5 hours)
- Alarm clock
- Bluetooth player
- Operating time per charge: 10 hours.
- Noise level: 36 dB
- Power consumption: 15 W
- Dimensions: 132 × 103 × 146 mm



DF2011



**Aroma diffuser
Perfect Air Dark Wood**

- Water tank capacity: 300 ml
- 7 changing colours with a lock function
- Suitable for rooms up to 50 m²
- Suitable for aromatherapy
- Timer (1, 3, 5 hours)
- Alarm clock
- Bluetooth player
- Operating time per charge: 10 hours.
- Noise level: 36 dB
- Power consumption: 15 W
- Dimensions: 132 × 103 × 146 mm



DF1011



**Aroma diffuser
Perfect Air Berry**

- Water tank capacity: 250 ml
- 7 changing colours with a lock function
- Suitable for rooms up to 50 m²
- Suitable for aromatherapy
- Timer (30, 60, 180 mins)
- Operating time per fill: 9 hours
- Antibacterial material
- Noise level: 36 dB
- Power consumption: 12 W
- Dimensions: 156 × 143 mm

ZV2021

**Humidifier with aroma diffuser
Perfect Air Smart**



- Suitable for rooms up to 50 m²
- 7 steam intensity levels
- UV lamp: eliminates bacteria, mould and odours
- Plasma: eliminates viruses in the air
- 4 modes: auto, health, baby and night
- Tank capacity: 4.6 l
- Touchscreen LED display
- Wi-Fi: the Concept Home app
- Suitable for aromatherapy
- Operating time per fill: 34 hours.
- Noise level: 35 dB
- Dimensions: 235 × 200 × 348 mm
- Power consumption: 30/110 W (cold/hot steam)

**DESTROYS VIRUSES
AND BACTERIA**

The humidifier is equipped with a PLAZMA function and a UVC lamp, which minimise the number of viruses in the air and eliminate odours.



**THE PRINCIPLE OF
ULTRASOUND**

Ultrasonic humidifiers work by using ultrasonic waves to break water droplets down into tiny particles, which are then released into the air as a fine, cool mist. This technology does not heat the air, so it does not affect the temperature in the room and is safe, as it is impossible to get scalded by it. They are known for their quiet operation and low energy consumption.





ZV2010

**Humidifier with aroma diffuser
Perfect Air 2 in 1**

- Suitable for rooms up to 56 m²
- Ultrasonic technology with both cold and hot steam output
- Tank capacity: 4.5 l
- Operating time per fill: 32 hours.
- Preheating water to eliminate bacteria and viruses during steam emission
- Quiet operation: 30 dB
- Ambient coloured backlighting
- An effective filter for removing impurities from water
- Suitable for aromatherapy
- Dimensions: 195 × 195 × 320 mm



ZV1200

**Humidifier with aroma diffuser
Perfect Air 2 in 1**

- Suitable for rooms of up to 30 m²
- Suitable for aromatherapy
- Tank capacity: 4 l
- Running time on a single charge: up to 26 hours.
- Voltage: 220–240 V
- Power consumption: 30 W
- Noise level: ≤35 dB
- Dimensions: 196 × 196 × 278 mm
- Colours: white + wood-effect



ZV1210



**Humidifier with aroma diffuser
Perfect Air 2 in 1**

- Suitable for rooms of up to 30 m²
- Suitable for aromatherapy
- Tank capacity: 4 litres
- Running time on a single charge: up to 26 hours.
- Voltage: 220–240 V
- Power consumption: 30 W
- Noise level: ≤35 dB
- Dimensions: 196 × 196 × 278 mm
- Colours: black + wood-effect



ZV1010



**Humidifier with aroma diffuser
Perfect Air 2 in 1**

- Suitable for rooms up to 20 m²
- Suitable for aromatherapy
- Ultrasonic technology that converts a scented essence refill into cold steam
- LED lighting with 7 colours
- Tank capacity: 1.2 litres
- Operating time per charge: up to 60 hours
- Frequency: 1.7 MHz
- Quiet operation: 30 dB
- Dimensions: 169 × 169 × 194 mm



ZV1000



**Humidifier
Perfect Air**

- Suitable for rooms up to 15 m²
- 2 power modes
- Tank capacity: 700 ml
- Operating time per charge: 7–10 hours.
- Max. humidification capacity: 80 ml/h
- Colour: white + translucent white
- Frequency: 1.7 MHz
- Noise level: 30 dB
- Dimensions: 125 × 125 × 225 mm



ZV1005



**Humidifier with aroma diffuser
Perfect Air 2 in 1 Wood**

- Suitable for rooms of up to 15–20 m²
- 2 power modes
- Tank capacity: 300 ml
- Operating time per charge: 12 hours.
- Noise level: 25 dB
- Max. humidification capacity: 40 ml/h
- Dimensions: 160 × 160 × 130 mm
- Colour: light/dark brown wood

SMART DEHUMIDIFIERS

OV2220 × OV2216 × OV2012

Recommended room size	120 m ²	100 m ²	45 m ²
Dehumidification capacity at (30 °C, 80 % RH)	20 litres per day	16 litres per day	12 litres per day
UV sterilisation lamp	YES	YES	NO
Air flow rate	180 m ³ /h	180 m ³ /h	120 m ³ /h
Water tank	3,500 ml	3,500 ml	2,200 ml
Power consumption	320 W	240 W	210 W



COLOURED LED LIGHTING DEPENDING ON THE HUMIDITY

The dehumidifier is fitted with a sensitive sensor, which allows you to monitor the current humidity in the room via coloured LED lights:

red — high humidity

green — satisfactory humidity

blue — low humidity

DEHUMIDIFIER AND AIR PURIFIER IN ONE



OV2220



**Dehumidifier and air purifier
Perfect Air Smart**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Four-stage air filtration (dust and carbon filters, ionisation, UVC)
- Touch controls + slider
- Concept Home mobile app
- 2 power settings
- Max. dehumidification capacity: 20 l/day (30 °C, 80 % RH)
- Water tank capacity: 3,500 ml
- Laundry drying mode
- Noise level: ≤ 45 dB
- Power consumption: 320 W
- Dimensions: 250 × 600 × 250 mm



OV2216



**Dehumidifier and air purifier
Perfect Air Smart**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Four-stage air filtration (dust filter + carbon filter, ionisation, UVC)
- Touch controls + slider
- Concept Home mobile app
- 2 power settings
- Max. dehumidification capacity: 16 l/day (30 °C, 80 % RH)
- Water tank capacity: 3,500 ml
- Laundry drying mode
- Noise level: ≤ 45 dB
- Power consumption: 240 W
- Dimensions: 250 × 600 × 250 mm



OV2012



**Dehumidifier and air purifier
Perfect Air Smart**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Three-stage air filtration (dust filter + carbon filter, ionisation)
- Touch controls
- Concept Home mobile app
- 2 power settings
- Max. dehumidification capacity: 12 l/day (30 °C, 80 % RH)
- Water tank capacity: 2,200 ml
- Laundry drying mode
- Noise level: ≤ 45 dB
- Power consumption: 210 W
- Dimensions: 250 × 460 × 250 mm



OV2320 **N**

**Dehumidifier and air purifier
Perfect Air Smart**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Four-stage air filtration (HEPA H13, dust and carbon filters, ionisation)
- Touch controls
- Concept Home mobile app
- 2 power settings
- Max. dehumidification capacity: 20 l/day (30 °C, 80 % RH)
- Water tank capacity: 4,300 ml
- Laundry drying mode
- Noise level: ≤ 41 dB
- Power consumption: 330 W
- Dimensions: 307 × 495 × 241 mm



OV2316 **N**

**Dehumidifier and air purifier
Perfect Air Smart**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Four-stage air filtration (HEPA H13, dust and carbon filters, ionisation)
- Touch controls
- Concept Home mobile app
- 2 power settings
- Max. dehumidification capacity: 16 l/day (30 °C, 80 % RH)
- Water tank capacity: 4,300 ml
- Laundry drying mode
- Noise level: ≤ 41 dB
- Power consumption: 300 W
- Dimensions: 307 × 495 × 241 mm



OV1200

**Dehumidifier and air purifier
Perfect Air**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Suitable for rooms of up to 25 m²
- Max. dehumidification capacity: 750 ml/day (30 °C, 80 % RH)
- Water tank capacity: 1,000 ml
- Three-stage air filtration
- Noise level: 30–50 dB
- Power consumption: 45 W
- Cable length: 1.5 m
- Dimensions: 195 × 315 × 215 mm



OV1210

**Dehumidifier and air purifier
Perfect Air**

- It captures particles, allergens, pollen, odours, gases (formaldehyde) and mould spores
- Suitable for rooms of up to 25 m²
- Max. dehumidification capacity: 750 ml/day (30 °C, 80 % RH)
- Water tank capacity: 1,000 ml
- Three-stage air filtration
- Noise level: 30–50 dB
- Power consumption: 45 W
- Cable length: 1.5 m
- Dimensions: 195 × 315 × 215 mm



OV1000 **V**

**Dehumidifier
Perfect Air**

- Operating temperature: 10–40 °C
- Operating relative humidity: 30–95 %
- Power consumption: 75 W
- Suitable for rooms of up to 15 m²
- Tank capacity: 1,500 ml
- Dehumidification rate: 600 ml/day
- Transparent water tank
- Timer for 4, 8 and 12 hours
- 2 speeds: 500 ml/600 ml
- Noise level: 37 dB/48 dB
- Dimensions: 308 × 230 × 138 mm



OV1110 **V**

**Dehumidifier
Perfect Air**

- Touch controls
- Suitable for rooms of up to 15 m²
- Max. dehumidification capacity: 300 ml/day (30 °C, 80 % RH)
- Water tank capacity: 600 ml
- Noise level: 35 dB
- Power consumption: 23 W
- Dimensions: 146 × 146 × 226 mm



KS4100

Glass convector heater Smart

- LED display
- Material: toughened glass
- Timer: 24 hours, weekly mode
- The Concept Home app
- Language interfaces: CZ, EN, PL, HU, RO, SK, DE
- Internet connection: Wi-Fi, 2.4 GHZ
- Water-resistant protection: IP24
- Thermostat: 16–40 °C
- Power consumption: 1,000/2,000 W
- Can be mounted on the wall
- Product dimensions including feet: 920 × 430 × 240 mm



KS4010

Glass convector heater

- Remote control
- Material: toughened glass
- Timer, weekly mode
- Suitable for rooms up to 20 m²
- Water-resistant protection: IP24
- Thermostat: 5–40 °C
- Power consumption: 1,000/2,000 W
- Can be mounted on the wall
- Cable length: 150 cm (including the plug)
- Product dimensions including feet: 435 × 920 × 240 mm



KS4000

Glass convector heater

- Remote control
- Material: toughened glass
- Timer, weekly mode
- Suitable for rooms up to 20 m²
- Water-resistant protection: IP24
- Thermostat: 5–40 °C
- Power consumption: 1,000/2,000 W
- Can be mounted on the wall
- Cable length: 150 cm (including the plug)
- Product dimensions including feet: 435 × 920 × 240 mm



QH4100

Electric heater Smart 2 000 W

- 2 settings: warm/hot air
- Temperature setting range: 10–49 °C
- Fan function
- Open Window Function
- Weekly and 24-hour timer
- The Concept Home app
- Language interfaces: CZ, EN, PL, HU, RO, SK, DE
- Adjustable louvre oscillation for efficient heat distribution throughout the room
- IP22 protection rating (suitable for the bathroom)
- Can be mounted on the wall
- Cable length: 130 cm
- Dimensions: 542 × 187 × 123 mm



QH4000

Electric heater 2 000 W

- 2 settings: warm/hot air
- Temperature setting range: 10–49 °C
- Fan function
- Open Window function
- Weekly and 24-hour timer
- Manual/automatic operating mode
- Adjustable louvre oscillation for efficient heat distribution throughout the room
- IP22 protection rating (suitable for the bathroom)
- Can be mounted on the wall
- Glass front panel
- Cable length: 130 cm
- Dimensions: 542 × 187 × 123 mm



QH4001

Electric heater 2 000 W

- 2 settings: warm/hot air
- Temperature setting range: 10–49 °C
- Fan function
- Open Window Function
- Weekly and 24-hour timer
- Manual/automatic operating mode
- Adjustable louvre oscillation for efficient heat distribution throughout the room
- IP22 protection rating (suitable for the bathroom)
- Can be mounted on the wall
- Glass front panel
- Cable length: 130 cm
- Dimensions: 542 × 187 × 123 mm



KS3020

Convactor heater 2 000 W

- Thermostat
- Freestanding convactor heater
- 3 power settings: 800/1,200/2,000 W
- Automatic shut-off if the appliance is knocked over
- Voltage: 220–240 V



KS3017



Convactor heater with a fan 2 000 W

- Turbo
- Thermostat
- Freestanding convactor heater
- 3 power settings: 800/1,200/2,000 W
- Dimensions: 590 × 430 × 100 (170) mm
- Voltage: 230 V



KS3007

Convactor heater with a fan 2 000 W

- Turbo
- Thermostat
- Freestanding convactor heater
- 3 power settings: 800/1,200/2,000 W
- Dimensions: 590 × 430 × 100 (170) mm
- Voltage: 230 V



RO3309



Oil-filled radiator 2 000 W

- Number of radiator sections: 9
- Maintenance-free and silent operation
- 4 castors
- Thermostat function
- 3 power settings (I. low, II. medium, III. high)
- Overheating protection
- Anti-freeze function
- Cable length: 180 cm
- Dimensions: 408 × 280 × 640 mm
- Adapter voltage: 220–240 V
- Frequency: 50/60 Hz



□ VT7040 ■ VT7041

Fan heater

- 2 heat settings: 1,000/2,000 W
- Continuously adjustable thermostat
- Cold Air Flow Function
- Overheating protection
- Power consumption: 2,000 W
- Voltage and frequency: 220–240 V, 50 Hz
- Noise level: 47 dB
- Material: plastic
- Dimensions: 212 × 140 × 268 mm



VT7010

Fan heater

- 2 power settings: 750/1,500 W
- Overheating protection
- Heating, cool air and fan functions
- Colour: white
- Power consumption: 1,500 W
- Length of the power cable: 120 cm
- Voltage: 220–240 V
- Dimensions: 237 × 209 × 127 mm



4v1

1. Cooling
2. Fan
3. Ionisation
4. Recirculation

MORE ENVIRONMENTALLY FRIENDLY AND MORE ECONOMICAL

OV5210

Air cooler



- 3 in 1: fan, air cooler, humidifier
- 3 modes: normal, night, natural
- Active humidification function
- Automatic rotation function
- Oscillation angle: $60^{\circ} \pm 5^{\circ}$
- Remote control
- Digital LED display
- Removable water tank: 7 l
- Removable filter
- Cool box (2)
- Sturdy circular base with castors
- Air flow rate: $500 \text{ m}^3/\text{h}$.
- Noise level min/max: 40/64 dB
- Dimensions: $345 \times 270 \times 1050 \text{ mm}$
- Length of the power cable: 180 cm



OV5220

Air cooler



- 4 in 1: with cooling, fan, ionisation, air purification and room air recirculation functions
- 3 operating modes: standard, sleep, natural breeze
- Remote control
- Quiet operation
- Automatic rotation function
- Water tank capacity: 5 l
- 2 cooling cartridges
- Sturdy circular base with castors
- Air flow rate: $5 \text{ m}^3/\text{min}$.
- Maximum noise level: 63 dB
- Power consumption: 80 W
- Dimensions: $335 \times 235 \times 805 \text{ mm}$
- Length of the power cable: 180 cm





VS5140

Tower fan

- 3 operating modes: standard, sleep, natural breeze
- 3 airflow speeds
- Timer: up to 15 hours (in 1-hour increments)
- Digital display with touch control
- Remote control
- Automatic rotation function
- Oscillation angle: $70^{\circ} \pm 5^{\circ}$
- Air flow velocity: 2 m/s
- Air flow rate: $6.01 \text{ m}^3/\text{min}$
- Maximum noise level: 46 dB
- Power consumption: 50 W
- Voltage and frequency: 220–240 V, 50 Hz
- Length of the power cable: 140 cm
- Dimensions: $245 \times 245 \times 970 \text{ mm}$
- Material: plastic
- Colour: dark grey



■ VS5110 □ VS5100

Tower fan

- Air flow velocity: 190 m/min.
- Air circulation: $26 \text{ m}^3/\text{min}$
- Noise level min/max: 54/62 dB(A)
- Oscillation angle: $60^{\circ} \pm 5^{\circ}$
- Length of the power cable: 180 cm
- Number of operating modes: 3
- Number of speeds: 3
- LED display
- Adjustable timer: 7 hours
- Dimensions: $920 \times 300 \times 300 \text{ mm}$
- Power consumption: 45 W





VS5051

Pedestal fan

- Propeller diameter: 350 mm
- Adjustable height: 950—1,250 mm
- 3 airflow speed settings
- Oscillation angle: $80^{\circ} \pm 5^{\circ}$
- Telescopic extension
- Quiet operation: 55—65 dB
- Airflow velocity: ≥ 90 m/min.
- Air flow rate ≥ 18 m³/min.
- Dimensions: 700 × 700 × 1,250 mm
- Frequency: 50/60 Hz
- Power consumption: 40 W



VS5050

Pedestal fan

- Propeller diameter: 350 mm
- Adjustable height: 950—1,250 mm
- 3 airflow speed settings
- Oscillation angle: $80^{\circ} \pm 5^{\circ}$
- Telescopic extension
- Quiet operation: 55—65 dB
- Air flow velocity: ≥ 90 m/min.
- Air flow rate ≥ 18 m³/min.
- Dimensions: 700 × 700 × 1,250 mm
- Frequency: 50/60 Hz
- Power consumption: 40 W



VS5040

Table fan

- 3 airflow speed settings
- Oscillation angle: $80^{\circ} \pm 5^{\circ}$
- Adjustable angle
- Quiet operation: 60 dB
- Propeller diameter: 345 mm
- Air flow velocity: ≥ 90 m/min.
- Air flow rate ≥ 18 m³/min.
- Dimensions: 308 × 260 × 456 mm
- Frequency: 50/60 Hz
- Power consumption: 30 W



VS5041

Table fan

- 3 airflow speed settings
- Oscillation angle: $80^{\circ} \pm 5^{\circ}$
- Adjustable angle
- Quiet operation: 60 dB
- Propeller diameter: 345 mm
- Air flow velocity: ≥ 90 m/min.
- Air flow rate ≥ 18 m³/min.
- Dimensions: 308 × 260 × 456 mm
- Frequency: 50/60 Hz
- Power consumption: 30 W



ZN9330 **N**

Steam iron

- Non-stick ceramic soleplate
- CalcCare feature — removable limescale filter
- Adjustable steam control
- AUTO SHUT-OFF function (shuts off after 8/0.5 mins)
- ANTI-DRIP anti-drip function
- ANTI-CALC descaling function
- Water tank: 430 ml
- Steam output: 50 g/min.
- Steam output: 240 g/min.
- Power consumption: 3,300 W
- Voltage and frequency: 220–240 V, 50 Hz
- Colour: blue/black



ZN9220 **N**

Steam iron SMOOTH CARE PRO 9000

- Non-stick ceramic soleplate
- Adjustable steam control
- AUTO SHUT-OFF function (shuts off after 8/0.5 mins)
- ANTI-DRIP anti-drip function
- ANTI-CALC descaling function
- Water tank: 350 ml
- Steam output: 40 g/min.
- Steam output: 240 g/min.
- Power consumption: 3,500 W
- Voltage and frequency: 220–240 V, 50 Hz
- Colour: black/beige



ZN9110

Steam iron SMOOTH CARE PRO 9000

- Non-stick ceramic soleplate
- Adjustable steam control
- AUTO SHUT-OFF function (shuts off after 8/4.5 mins)
- ANTI-DRIP anti-drip function
- ANTI-CALC descaling function
- Water tank: 400 ml
- Steam output: 40 g/min.
- Steam output: 160 g/min.
- Power consumption: 2,800 W
- Voltage and frequency: 220–240 V, 50 Hz
- Colour: blue/gold



NO9000 **N**

Hand-held garment steamer

- Folding handle
- Drinking water bottle adapter (max. bottle capacity 300 ml)
- Brush attachment, lint remover attachment, water tank
- Water tank capacity: 350 ml
- 2 steam settings
- Steam output: 25 g/min.
- Operating time: 15 mins.
- Power consumption: 1,600 W
- Voltage and frequency: 220–240 V, 50–60 Hz
- Length of the power cable: 200 cm
- Colour: black/beige



NO8000

Hand-held garment steamer PERFECT STEAMER

- 2 operating modes — ironing/steaming
- Removes up to 99.9% of bacteria
- Advanced dual-heating technology
- Steam output: 25 g/min.
- Operating time: approx. 10 mins.
- Power consumption: 1,300 W
- Voltage and frequency: 220–240 V, 50 Hz
- Length of the power cable: 180 cm
- Colour: black/copper



OO2110

Clothes lint remover

- Easy to use and clean
- USB-C charging
- Triple-edged
- Removable transparent tray
- Protective cover
- Voltage: 5 V DC, 3 W
- Battery: Ni-MH 600 mAh, 1.2 V
- Charging time: <8 hours
- Running time: 43 mins.
- Included in the pack: USB-C cable, cleaning brush
- Colour: blue + mustard

**BATTERY LIFE
THAT WON'T LET
YOU DOWN**

**A PERFORMANCE
THAT WILL
CAPTIVATE YOU**



A SPEAKER FOR EVERY OCCASION

A fast and stable Bluetooth 5.3 connection, along with the option to play music via AUX, TF card or USB, ensures maximum flexibility when listening at home, outdoors or on the move. A practical feature is **hands-free calling**, allowing you to take calls with ease. What's more, the speaker **also doubles as a power bank**, so you can easily charge your phone or other devices.

BR3080

**Wireless speaker
Visione**

- Max. battery life: 30 hours
- Battery life at 70% volume:
15 hours / 10 hours with the LED on
- Charging time: 5 hours (USB-C 5 V, 3 A)
- Battery: 11.1 V, 3,600 mAh
- Power: 100 W
- Party LED
- 2.0-channel exceptional sound
- 3 equalisers
- Water resistance: IPX5
- Hands-free calling
- Easy to use
- TWS functions, power bank functions
- Bluetooth: 5.3
- 4 inputs (BT, AUX, TF card, USB)
- Driver/impedance: 2x4" + 2x1" tweeter / 6 Ω
- Frequency range: 55 Hz–20 kHz
- Speaker weight: 4.43 kg



EXTRA-LONG BATTERY LIFE

Up to 75 hours of playback on a single charge.

ACTIVE NOISE CANCELLATION

They reduce ambient noise by up to 33 dB, so you won't be disturbed by office noise, traffic or city noise. With the ANC feature, you can enjoy up to 45 hours of uninterrupted listening, wherever you are.

■ HS2040 □ HS2041

Wireless headphones
Visione — black, white

- Spatial sound
- Playback time: up to 75 hours (45 hours with ANC)
- Aluminium construction
- Faux leather ear pads
- Bluetooth 5.4
- Charging time: 2.5 hours (USB-C)
- Fast charging: 5 mins for 180 mins of listening time
- Active noise cancellation (ANC): up to 33 dB
- Transparent mode (environment enhancement)
- Hands-free calling
- ENC — ambient noise cancellation during calls
- Easy to use
- Support for connecting two devices at the same time
- Voice assistant
- 3.5 mm AUX
- Frequency range: 20 Hz—20 kHz
- A protective bag is included in the pack





■ BR5060 ■ BR5061

Wireless speaker SoundJoy
black, taupe

- Max. battery life: 18 hours (70% volume — 13 hours, with LED — 10 hours)
- Charging time: 4 hours (USB-C 5 V, 2 A)
- Power: 60 W
- Water resistance: IPX5
- Hands-free calling
- TWS function (stereo pairing)
- BassBoost function, power banks
- Bluetooth: 5.3
- 5 inputs (BT, AUX, TF card, USB, FM radio)
- Frequency range: 40 Hz—20 kHz



■ BR5035 ■ BR5036 ■ BR5037

Wireless speaker SoundJoy
black, taupe, blue

- Max. battery life: 46 hours (70% volume — 22 hours, with LED — 13 hours)
- Charging time: 4 hours (USB-C 5 V, 2 A)
- Power: 35 W
- Music-responsive ambient LED with 9 modes
- Water resistance: IPX5
- Hands-free calling
- TWS features, power banks
- Bluetooth: 5.3
- 5 inputs (BT, AUX, TF card, USB, FM radio)
- Frequency range: 40 Hz—20 kHz



■ BR5010 ■ BR5011 ■ BR5012

Wireless speaker SoundJoy
black, taupe, blue

- Max. battery life: 20 hours (70% volume — 16 hours, with LED — 10 hours)
- Charging time: 4 hours (USB-C 5 V, 2 A)
- Power: 10 W
- Ambient LED (4 modes)
- Water resistance: IPX5
- Hands-free calling
- TWS function (stereo pairing)
- Bluetooth: 5.3
- 5 inputs (BT, AUX, TF card, USB, FM radio)
- Frequency range: 60 Hz—20 kHz



■ HS4060 □ HS4061

Wireless headphones SoundJoy
black, white

- Playback time: up to 70 hours (45 hours with ANC)
- Bluetooth 5.4
- Charging time: 2 hours (USB-C)
- Fast charging: 5 mins for 150 mins of listening time
- Active noise cancellation (ANC): up to 33 dB
- Hands-free calling
- Voice assistant
- 3.5 mm AUX
- Connecting two devices at the same time
- Frequency range: 20 Hz—20 kHz
- A protective bag is included in the pack



■ BR5530 ■ BR5532

Wireless speaker SoundJoy
black, blue

- Max. battery life: 19 hours (70% volume — 16 hours, with LED — 9 hours)
- Charging time: 3 hours (USB-C 5 V, 2 A)
- Power: 30 W
- Ambient LED (7 modes)
- Water resistance: IPX5
- Hands-free calling
- TWS functions, power banks
- Bluetooth: 5.3
- 4 inputs (BT, AUX, TF card, USB)
- Frequency range: 80 Hz—20 kHz



■ BR5020 ■ BR5021 ■ BR5022

Wireless speaker SoundJoy
black, taupe, blue

- Max. battery life: 17 hours (70% volume — 14 hours, with LED — 12 hours)
- Charging time: 5 hours (USB-C 5 V, 2 A)
- Power: 20 W
- Ambient LED (4 modes)
- Water resistance: IPX5
- Hands-free calling
- TWS features, power banks
- Bluetooth: 5.3
- 5 inputs (BT, AUX, TF card, USB, FM radio)
- Frequency range: 60 Hz—20 kHz



■ HS4080 □ HS4081

Wireless headphones SoundJoy
black, white

- Playback time: up to 45 hours (30 hours with ANC)
- Bluetooth 6.0
- Charging time: 2 hours (USB-C)
- Fast charging: 5 mins for 150 mins of listening time
- Active noise cancellation (ANC): up to 18 dB
- Hands-free calling
- Voice assistant
- Connecting two devices at the same time
- Game mode
- Frequency range: 20 Hz—20 kHz
- A protective bag is included in the pack



TW8010

Earbuds SoundJoy
True Wireless

- Battery life: up to 30 hours (6 hours for the earphones + 24 hours for the charging case)
- Bluetooth 5.4
- Charging time: 1.5 hours (USB-C)
- Fast charging: 5 mins for 30 mins of playback
- Active noise cancellation (ANC): up to 38 dB
- Connecting two devices at the same time
- Frequency range: 20 Hz—20 kHz
- Charging case with display
- 3 sizes of ear pads

Main product	Code	Title
Vacuum cleaners		
VR4130	42396542	HEPA filter + foam filter VR4130
VR4130	42396545	VR4130 Side Brush
VR4130	42396556	VR4130 mop pads for hard floors
VR4130	42396668	VR4130 Hybrid Mop Cloths for Carpet Cleaning
VR4130	42396587	VR4130 cleaning product, 300 ml
VR4130	SMS4100	Replacement bags for the VR4130
VR4050	SMS4050	Replacement bags for the VR4050
VR4050	42396213	VR4050 side brush
VR4050	42396209	Cleaning cloth, 1 piece VR4050
VR4050	42396208	VR4050 HEPA filter
VR3400/VR3450	42395177	VR3400 and VR3450 mop pads
VR3400/VR3450	42395179	HEPA + foam filter VR3400, VR3450
VR3400/VR3450	42395147	Pair of side brushes VR3400/VR3450
VR3520n	42394095	VR3520/VR3520n cleaning cloths
VR3520n	sms3500	Replacement dust bags for VR3520/VR3510 robot vacuum cleaners
VR3520n	42394113	HEPA + foam filter VR3510/VR3520/VR3520n
VR3115/VR3125/VR3520n/VR2020	VRP0010	Set of 4 side brushes
VR3115/VR3125/VR2020	VRP0020	Set of 2 HEPA filters
VR3350/VR3450	sms3050	Replacement dust bags for the VR3350/VR3450 robot vacuum cleaners
VR3300/VR3350	42395101	Pair of side brushes VR3300/VR3350
VR3300/VR3350	42395104	VR3350 and VR3300 cleaning cloths
VR3300/VR3350	42396020	HEPA + foam filter for the dust container / for the 2-in-1 container VR3300/VR3350
VR3125	42392778	Cleaning cloths VR3120/VR3205/VR3125
VR2020/VR3125	42394581	Filter VR3120/VR3205/VR3105/VR2020/VR3125
VR3115	42392766	Cleaning cloths VR3110/VR3100/VR3115
VR2020	42393657	VR2020 Cleaning Cloths
VP6300	sms6300	Replacement bags for the VP6300 multifunction station
VP6300	42395213	VP6300 HEPA filter unit
VP6260	42396328	VP6260 Cleaning Cloth Set
VP6150, VP6260	42396202	VP6150, VP6260 battery
VP6150, VP6260	42396204	VP6150, VP6260 outlet HEPA filter
VP6300, VP6250	423951999	VP6300, VP6250 battery
VP6300/VP6250	42395197	HEPA filter for the VP6300/VP6250 vacuum cleaner
VP6130	42394329	29.6 V VP6130 battery
VP6130	42394331	VP6130 outlet HEPA filter
VP6045	42395969	VP6045 battery
VP6045	42395968	VP6045 HEPA filter
VP6040	42395190	VP6040 HEPA filter for the dust container
VP6025	42393720	VP6020/VP6025 battery
VP6025	42395826	VP6025 Cleaning Cloths
VP4220	42396276	VP4220 cleaning cloths
VP4220	42396289	VP4220 HEPA filter
VP4201	42393259	VP4201 cleaning cloths
VP5150/VP5151	42393513	VP5150/VP5151 HEPA filter
VP5241n/VP5240n	42392709	VP524X HEPA filter
VP5241n/VP5240n	42392710	Complete cyclone chamber filter VP524X
VP5240n/VP5241n	vpp5000	Set of 2 filters
VP4350/VP4351/VP4352/VP4353	42393038	VP435X HEPA filter
VP4360/VP4370/VP4380	42392245	Filter VP4360/VP4370/VP4380
VP4520/VP4500	42394847	VP4520, VP4500 HEPA filter
VP4136/VP4201	42393237	Internal filter for the VP4135/VP4136/VP4201 dust container
VP4410/VP4420	42393574	HEPA filter VP4400/VP4410/VP4420
VP8350	ns835x	Replacement paper bags (5+2) for the VP835X
VP8350	ts835X	Replacement fabric bags for the VP835X
VP8090/VP8338/VP8226/VP8224/ VP8223/VP8072/VP8291/VP8290	sms9000	Universal SMS replacement bags
CP2000	42391880	CP2000 Floor Cleaning Cloth
CP2000	42391172	CP2000 water filter
CP1010/CP2000	42391208	CP1010/CP2000 cleaning cloths

Main product	Code	Title
--------------	------	-------

Air treatment

CA3000	cap3000	Set of replacement filters for the CA3000
CA2000	42392951	CA2000 Carbon + Catalytic Filter
CA2000	42392949	CA2000 HEPA + Antibacterial Filter
CA2000	42392950	CA2000 Input Filter
CA1020	42394369	CA1020 HEPA + carbon filter
OV2220/OV2216	42394416	OV2220/OV2216 carbon filter
OV1200/OV1210	42392923	OV1200/OV1210 filter

Electric scooters

SC2500/SC4010	42393856	SC2500, SC4010 mobile phone holder
---------------	----------	------------------------------------

Food preparation

RM8010	RMP0010	1.5-litre glass blender jug for the RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0020	Meat mincer for the RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0030	Grater for the RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0040	Bowl with handle for RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0050	Black bowl with handle for RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0060	Pasta-making attachment for the RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0070	Cookie-making attachment for the RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
	RMP0080	Sausage-making attachment for the RM8000/RM8010/RM7000/7010/7020/7030/7500/7510
SM3491/SM3490/SM3380/ SM3385/SM3387/SM3390/ SM3391/SM3393	42396357	Container complete with lid, 400 ml, black, SM338x, SM339x, SM349x
	42396358	Container complete with lid, 400 ml, white, SM338x, SM339x, SM349x
	42390909	Container complete with lid, 400 ml, red, SM338x, SM339x, SM349x
	SB3380	Container complete with lid SM338x/SM339x/SM349x 570 ml white
	SB3381	Container complete with lid SM338x/SM339x/SM349x 570 ml, orange
	SB3382	Container complete with lid SM338x/SM339x/SM349x 570 ml red
	SB3383	Container complete with lid SM338x/SM339x/SM349x 570 ml, pink
	SB3384	Container complete with lid SM338x/SM339x/SM349x 570 ml blue
	SB3385	Container complete with lid SM338x/SM339x/SM3490 570 ml black
	SB3386	Container complete with lid SM338x/SM339x 570 ml green

Food storage

VA0040/VA0050/VA0060	VB2203	Set of vacuum-sealing films, 2 pieces
VA0040/VA0050/VA0060	VB2806	Set of vacuum-sealing films, 2 pieces

Caring for a baby

OM4000	ZM4000	Breast milk storage containers with KIDO adapter, set of 7
KD4010	KD0010	Additional camera for the KD4010 Concept KD0010 baby monitor
KD4010, KD4000	42396535	Flexible camera mount

Body care

PN3000	PN0005	PN3000 replacement grinding heads, 6 pcs
PN3020	PN0006	PN3020 Replacement Grinding Heads, 6 pcs

Dental care

ZK4021	ZK0003	Replacement nozzles for the PERFECT SMILE ZK402x and ZK4030 dental water flossers, white, 3 pcs
ZK4021	ZK0008	Replacement nozzles for the PERFECT SMILE ZK402x and ZK4030 dental water flossers, black, 3 pcs
ZK4040	ZK0001	Replacement brush heads for PERFECT SMILE ZK40xx toothbrushes, Daily Clean, white, 4 pcs
ZK4040	ZK0002	Replacement brush heads for PERFECT SMILE ZK40xx toothbrushes, Soft Clean, white, 4 pcs
ZK4040	ZK0004	PERFECT SMILE ZK40xx Sonic Toothbrush Travel Case, white
ZK4040	ZK0006	Replacement brush heads for PERFECT SMILE ZK40xx toothbrushes, Daily Clean, black, 4 pcs
ZK4040	ZK0007	Replacement brush heads for PERFECT SMILE ZK40xx electric toothbrushes, Soft Clean, black, 4 pcs
ZK3010/ZK3020	ZK0032	Replacement brush heads for ZK3010 and ZK3020 children's toothbrushes (medium), 2 pcs, transparent
ZK6010/ZK6020	ZK0061	Replacement brush heads for children's toothbrushes ZK6010 and ZK6020 (small), 2 pcs, white
ZK6010/ZK6020	ZK0062	Replacement brush heads for ZK6010 and ZK6020 children's toothbrushes (medium), 2 pcs, white



APPLICATION **CONCEPT HOME**

An app for everyday use that lets you control most Concept smart appliances. From robot vacuum cleaners, through air purifiers, heating systems and kitchen appliances, right through to baby monitors — all conveniently and from anywhere via the Concept Home app.



APPLICATION **CONCEPT IPL**

The app will guide you through the hair removal process and will advise you on all the treatments you need to achieve the best result. With the Concept IPL mobile app, you'll have your own personal advisor to help you plan your treatments and track your progress.



CONTACT US

Client Centre

From Monday to Friday,
we're here for you and
your questions.

CZ

T: **+420 465 471 400**

E: **info@my-concept.cz**

Mon—Fri: **7.00—17.30**

www.concept.cz





smartly
designed

We offer cleverly designed **household aids, crafted with an eye for detail**, which significantly enhance the functionality and practical value of household appliances. Our aim is to offer users a better and more comfortable life, in which they will have more time for their family, relaxation and hobbies.



STYLE
MATCHED

We like our homes **to have a** consistent and cohesive **look**. That's why **we ensure** that each **appliance is designed** to blend seamlessly into any home.

You can easily coordinate both large and small appliances so that they form a cohesive whole in your kitchen.



Tested at
home

Just like you, we use household appliances every day, which is why we design them to be practical, simple and to work well in everyday life. We first test every new product at home **and put it through its paces in a real-life domestic setting**.

Air
Supreme



**smartly
designed**

CONCEPT HAS BEEN HERE
FOR YOU FOR 35 YEARS

Czech brand based in Choceň,
Czech owner, Czech service,
warehouses in the Czech Republic

You can find details and further information about the products at www.concept.cz

Company headquarters: Jindřich Valenta — Concept
Vysokomýtská 1800, 565 01 Choceň

